


TABULATION OF DEVIATION TEST
VASTAR RESOURCES, INC.

DEPTH	DEVIATION	DEPTH	DEVIATION
213'	0.75	3738'	4.50
891'	2.75	4232'	3.25
1385'	0.40		
1879'	3.50		
2375'	0.30		
2872'	4.75		
3242'	5.00		



AFFIDAVIT

THIS IS TO CERTIFY that to the best of my knowledge, the above tabulation details the deviation test taken on VASTAR RESOURCES, INC.'S:

Carracas 19 B 4

1170' FNL & 830' FWL Sec. 19, T32N, R4W

Rio Arriba County, New Mexico

Signed:

Title: SR. Regulatory Analyst

THE STATE OF TEXAS)
) ss.
COUNTY OF HARRIS)

BEFORE ME, the undersigned authority, on this day personally MARY CORLEY known to me to be a SR. Regulatory Analyst for Vastar Resources, Inc. and to be the person whose name is subscribed to the above statement, who being by me dully sworn on oath, states that she has knowledge of the facts stated herein and that said statement is true and correct.

SUBSCRIBED AND SWORN to before me, a Notary Public in and for said County and State this 17 day of November, 2000.

[Signature]
Notary Public

My Commission Expires:

214/04

