## •

## (SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

	Budget Bu Approval	ıreau No. expires 12-	42-R359,4. 31-60.
Indian /	gency		
Ign:	cio		
	Ute	Mtn.	Tribal

Allottee Ute Mtn. Tribal

NOTICE OF INTENTION TO DRILL		SUBSECUENT	REPORT OF WATER CHIT OF	IAD 3 1961		
				SUBSEQUENT REPORT OF WATER SHUT-OFF MAR 3 1901 SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING		
NOTICE OF INTENTION TO TEST WATER			SEQUENT REPORT OF ALTERING CASING GEOLOGICAL SURV			
NOTICE OF INTENTION TO REDRILL OR						
OTICE OF INTENTION TO SHOOT OR AC	CIDIZE	1 1				
NOTICE OF INTENTION TO PULL OR ALT	ER CASING	SUPPLEMENTA	RY WELL HISTORY			
OTICE OF INTENTION TO ABANDON WE	11	Subseque	went Report of Perforating			
(INDICATE A	BOVE BY CHECK	MARK NATURE OF REPORT	NOTICE, OR OTHER DATA)			
			February 21	19 <b>61</b>		
ell No. <b>Ute #6</b> is locat	ed 1980 f	t. from S line and	1 660 ft. from W lin	e of sec. 🎜		
		(D)	[ ** ]	e of sec. 35		
NW SW Sec 35	<b>T-31-N</b> (Twp.)	R-16-4	NAPM			
NW SW Sec. 35 (14 Sec. and Sec. No.)	T-31-N (Twp.)	R-16-W (Range)	NMPM (Meridian)			
NW SW Sec 35 (% Sec, and Sec, No.)  Horseshoe Gallup  (Field)  ground	T-31-N (Twp.) San	R-16-4i (Range) Juan County or Subdivision)	NMPM (Meridian)  New Mexico (State or Ter			
NW SW Sec 35 (1/4 Sec, and Sec. No.)  Horseshoe Gallup  (Field)  ground	T-31-N (Twp.) San (C	R-16-4i (Range) Juan County or Subdivision)	NMPM  (Meridian)  New Mexico  (State or Ter			
NW SW Sec 35 (14 Sec. and Sec. No.) Horseshoe Gallup	T-31-N (Twp.) San (Co	R-16-W (Range)  Juan County or Subdivision) ea level is 5500.0	MMPM (Meridian)  New Mexico (State or Ter	ritory)		

RECEIVED MARG 1961

Title Regional Drilling Kanager

## Subsequent Report of Portoruting ! and Freating

61	z.	Tebruery			
æ	251	660	<b>*</b> \$	1980	Des 16
		MINN	Relien	14.12-49	W 50c 35
	New Mexico	aee l	Sea .	Extraction dulius	
			0.0088		anosa

Out two notches with Bowell abranijet tool at 1590 and 1412\* Comm Bay measurements. It above notches with 55,000 gale of lauge crude containing 90,000, 10/20 sand. The at 900... Average treating pressure 800%. Average injection rate 36 barrels per sinute.

The Atlantic Refining Company

P. C. Box 520

Casper, Froming

Regional Billia: Manager