

S

F. Loc. 1776/N; 1114/E Elev. 6634 GL Spd. 4-25-53 Comp. 6-4-53 TD 5835 Pg.
Coaling S9 5/8 @ 140 W 150 Sw. Pr. 7 @ 4991 W 300 Sw. 1. 2 @ 5788
Cap. Perf. 5135-5835 Prod. Stim. shot 1655 qts. EPG

I.D. 8684 NO/D 3 1051 10 Days GOR 6-20-53 MOT
MCF/D AHOI

TOPS		NITD	Well Log	TEST DATA						
				Schd.	PG	Q	PW	PD	D	Ref. No.
Kirtland	2168	C-103	Plot							
Fruitland	3036	C-104	Electric Log	8-2-89	504	89	336	303	64	
Pictured Cliffs	3387		C-122	8-2-89	475	50	342	333	52	
Cliff House	5028	Dhr	Dhr	8-2-89	432	31	334	302	37	3966
Mandala	5209	Dhr	Dhr 6-6-90							3947
Point Lookout	5629	RET. 11/10/89 11/10/89 11/10/89								3996
Merritt		RET. 11/10/89 11/10/89 11/10/89								
Gallup		RET. 11/10/89 11/10/89 11/10/89								
Sanostee		RET. 11/10/89 11/10/89 11/10/89								
Greenhorn		RET. 11/10/89 11/10/89 11/10/89								
Del Rio		RET. 11/10/89 11/10/89 11/10/89								
Morrison		RET. 11/10/89 11/10/89 11/10/89								
Entrada		RET. 11/10/89 11/10/89 11/10/89								
PCD	3257	RET. 11/10/89 11/10/89 11/10/89								

Zone about 30' - 91'