


(SUBMIT IN TRIPLICATE)

Indian Agency **NAY - Ute**



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee _____

Lease No. **14-20-604-1951**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

Sand-Oil Frac

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

November 30, 19 **58**

Well No. **5** is located **2310** ft. from **[N]** line and **1650** ft. from **[E]** line of sec. **34**

SE-NW-34

(1/4 Sec. and Sec. No.)

3 IN

(Twp.)

16W

(Range)

NMPM

(Meridian)

Horse Shoe Gallup Ext

(Field)

San Juan

(County or Subdivision)

New Mexico


(State or Territory)

The elevation of the derrick floor above sea level is **5390** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

11/30/58 Total Depth 1420' Clean out T.D. 1290'
Sand - Oil Frac. Gallup. Perforated intervals 1262 - 1290
(4 Shots per Ft.) with 33000 Gals Oil & 30000 # Sand.
Break down Pressure 1400 lbs.
Maximum Treating Pressure 900 lbs.
Injection rate 42 bbls. minute.
Flush 2100 Gals.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Banner Drilling Company**

Address **P.O. Box 1571**

Farmington

New Mexico

By **Banner**

Title **Co-Owner**