

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	5. LEASE DESIGNATION AND SERIAL NO. 14-20-604-83
2. NAME OF OPERATOR Benson-Montin-Greer Drilling Corp.	6. IF INDIAN, ALLOTTEE OR TRIBE NAME Ute Mountain Tribal
3. ADDRESS OF OPERATOR 221 Petroleum Center Building, Farmington, NM 87401	7. UNIT AGREEMENT NAME -
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 660' FSL, 660' FWL, Sec 21, T-31N, R-14W	8. FARM OR LEASE NAME Ute Mountain Tribal
14. PERMIT NO.	9. WELL NO. #4
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 5596' GR	10. FIELD AND POOL, OR WILDCAT Verde Gallup
	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec 21, T-31N, R-14W
	12. COUNTY OR PARISH San Juan
	13. STATE New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input checked="" type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Operator requests approval to plug and abandon.

See attachment for plugging and abandoning procedure.

RECEIVED
NOV 29 1983
OIL & GAS DIV.
BUREAU OF LAND MANAGEMENT

RECEIVED
Bureau of Land Management

NOV 14 1983


Durango, Colorado

18. I hereby certify that the foregoing is true and correct.

SIGNED <u>David J. Miller</u>	TITLE <u>Vice-President</u>	DATE <u>November 10, 1983</u>
(This space for Federal or State office use)		
APPROVED BY <u>David J. Miller</u>	TITLE <u>Area Manager</u>	DATE <u>NOV 21 1983</u>
CONDITIONS OF APPROVAL, IF ANY:		

14-20-604-83

Well No. 4 SWSW 21-31N-14W



9.5 #/gal or heavier fresh sea mud between plugs

1. Spot a 200' cement plug from 3145' TD to 2945'
2. Spot a 100' cement plug from 1850' to 1750' inside 5 1/2" casing across Top of Mancos
3. Cut and pull 5 1/2" casing. Calculated top of cement is approximately 1400'-1650'
4. Spot a 100' cement plug, 50' inside the casing and 50' on top of casing cut off.

5. Spot a 185' cement plug from 185' to surface.
6. Cut off 8 5/8" casing below ground level. Weld a 1/4 inch steel plate across 8 5/8" casing. Erection P & A marker. Clean and restore surface. Requirements will be forthcoming.

If 5 1/2" casing cannot be cut and pulled

3. Perforate 5 1/2" casing at 170'. Established circulation to surface through 5 1/2" by 8 5/8" annulus. Circulate cement to surface.
4. Spot a 50' cement plug from 50' to surfaces inside 5 1/2" casing.
5. Cut off casing below ground level. Weld a 1/4" steel plate across 8 5/8" casing. Erection P & A marker. Clean and restore surface. Restoration and seeding requirements will be forthcoming.

CAS/16-31-83