

(SUBMIT IN TRIPLICATE)


Indian Agency Consolidated Ute

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Agency, Ignacio, Colorado

Allottee Mountain Ute Tribe

Lease No. 14-20-604-119



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	JUL 7 1958
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 3, 1958

Pueblo Mountain

Well No. Ute #19-16 is located 660 ft. from S line and 659 ft. from E line of sec. 19

Sec. 19
(1/4 Sec. and Sec. No.)

31N
(Twp.)

14W
(Range)

N.M.P.M.
(Meridian)

Verde-Gallup Pool
(Field)

San Juan

(County or Subdivision)

New Mexico

(State or Territory)

ground level

The elevation of the ~~drill~~ floor above sea level is 5577 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is proposed to drill with rotary tools to a depth of 100+ feet, set 8-5/8" casing and cement to surface w/100 sax. Thereafter to drill with rotary tools to the top of the producing zone, run electric log and run 5-1/2" casing at approximately 3250 feet and cement w/50 sax. It is then proposed to drill producing zone with oil, frac through casing w/20,000 gallons of crude and 20,000# sand; swab and test well with rig until daily rate of production is established, and complete. The ~~SW~~ of the section, containing 40 acres, more or less, is dedicated to the well site. Estimated total depth: 3,250+ feet.


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company PURCO PETROLEUM CORPORATION

Address Post Office Box 1419

Albuquerque, New Mexico

By Frank D. Gorham, Jr.
Title Vice President





NEW MEXICO OIL CONSERVATION COMMISSION
Well Location and Acreage Dedication Plat

Section A.

Date July 3, 1958

Operator Pubco Petroleum Corporation Lease Pubco Mountain Ute
Well No. 19-16 Unit Letter _____ Section 19 Township 31 N Range 14 W NMPN
Located 660 Feet From south Line, 659 Feet From east Line
County San Juan G. L. Elevation 5577 Dedicated Acreage 2.02 40 Acres
Name of Producing Formation Gallop Pool Verde-Gallop

1. Is the Operator the only owner* in the dedicated acreage outlined on the plat below?
Yes x No _____.
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? Yes _____ No _____. If answer is "yes," Type of Consolidation _____
3. If the answer to question two is "no," list all the owners and their respective interests below:

Owner

Land Description

Section B

SECTION 19

Pubco Petroleum Corporation

U.S.D.I.

Contract #14-20-604-119

659'

660'

This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.

PUBCO PETROLEUM CORPORATION

(Operator)

(Representative)

Frank D. Gorham, Jr., Vice Pres.

Post Office Box 1419

Address

Albuquerque, New Mexico

This is to certify that the well location shown on the plat in Section B was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed 27 July 1958

STEPHEN H. KIRBY

Registered Professional Engineer and of Land Surveyor.

Certificate No. 803

(See instructions for completing this form on the reverse side)