



need BH Plat

STATE OF NEW MEXICO
ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT

OIL CONSERVATION DIVISION
2040 S. PACHECO
SANTA FE, NEW MEXICO 87505
(505) 827-7131

March 27, 1996

RECEIVED
APR - 4 1996

OIL CON. DIV.
DIST. 3

Amoco Production Company
Southern Rockies Business Unit
P. O. Box 800
Denver, Colorado 80201
Attention: J. W. Hawkins

Administrative Order DD-134

Dear Mr. Hawkins:

Reference is made to Amoco Production Company's application dated February 2, 1996 for authorization to recomplete the existing Atlantic "LS" Well No. 2 (API No. 30-045-10585) by side tracking off of the vertical portion of the wellbore and drill a high angle slant hole to a pre-determined bottom-hole location in order to further develop the Blanco-Mesaverde Pool underlying its existing 271.94-acre non-standard gas spacing and proration unit ("GPU") comprising Lots 1, 2, 6, 7, 8, 9, 13, and 14 (E/2 equivalent) of Section 24, Township 31 North, Range 10 West, NMPM, San Juan County, New Mexico.

The Division Director Finds That:

- (1) The application has been duly filed under the provisions of Rule 111(D) and (E) of the General Rules and Regulations of the New Mexico Oil Conservation Division ("Division"), revised by Division Order No. R-10388, issued by the Oil Conservation Commission in Case 11,274 on June 13, 1995;
- (2) The Atlantic "LS" Well No. 2, located at a standard gas well location 1650 feet from the North line and 1450 feet from the East line (Lot 6/Unit G) of said Section 24, was originally drilled and completed in 1953 as an initial Blanco-Mesaverde gas well, and was assigned the above-described 271.94-acre GPU;
- (3) By Order No. R-8170, as amended, the Division promulgated the "*General Rules For The Prorated Gas Pools of New Mexico/Special Rules and Regulations For The Blanco-Mesaverde Pool*", which includes provisions for 320-acre gas spacing and proration units and well location requirements whereby the initial well drilled on a GPU shall be located be no closer than 790 feet to the outer boundary of the quarter section on which the well is located and not closer than 130 feet to any quarter-quarter section line or subdivision inner boundary and the infill well drilled on an existing GPU shall be in the quarter section not containing a Mesaverde gas well and shall be located with respect to the restrictions as previously described;

- (4) Within this GPU Amoco is also producing Blanco-Mesaverde gas from its Atlantic "LS" Well No. 2-A (API No. 30-045-22992), located at a standard infill gas well location 1520 feet from the South line and 880 feet from the East line (Lot 8\Unit I) of said Section 24;
- (5) A high angle slant hole drilled off of the existing vertical wellbore in the Atlantic "LS" Well No. 2 as proposed should provide Amoco a better opportunity to encounter the naturally occurring fracture system in the Mesaverde formation, which should result in a higher production rate and an increased ultimate recovery of gas from this well;
- (6) The applicant/operator proposes to kick-off from vertical at a depth of approximately 4,000 feet by milling a window in the existing production casing, drill in an easterly direction, build to an angle of approximately 25.5 degrees and continue drilling in such a manner as to bottom back into the Blanco-Mesaverde Pool, with total horizontal displacement of said wellbore to be approximately 660 feet;
- (7) The applicable drilling window or "producing area" for said wellbore should include that area within the NE/4 equivalent of said Section 24 that is no closer than 790 feet to the quarter section lines; and,
- (8) It appearing the applicant has satisfied all of the appropriate requirements prescribed in said Rule 111.D and E, the subject application should be approved and the well should be governed by the provisions contained within this order and all other applicable provisions of Division General Rule 111.

IT IS THEREFORE ORDERED THAT:

(1) The applicant, Amoco Production Company, is hereby authorized to recomplete its existing Atlantic "LS" Well No. 2 (API No. 30-045-10585), located at a standard gas well location 1650 feet from the North line and 1450 feet from the East line (Lot 6/Unit G) of Section 24, Township 31 North, Range 10 West, NMPM, San Juan County, New Mexico, by milling a window in the existing production casing at a depth of approximately 4,000 feet, kick-off from vertical in an easterly direction, build to an angle of approximately 25.5 degrees and continue drilling in such a manner as to bottom back into the Blanco-Mesaverde Pool (total horizontal displacement of said wellbore to be approximately 660 feet) within a drilling window or "producing area" comprising the NE/4 equivalent of said Section 24 that is no closer than 790 feet to the quarter section lines.

PROVIDED HOWEVER THAT prior to commencing directional drilling operations in said wellbore, the applicant shall establish the location of the kick-off point by means of a directional survey acceptable to the Division.

PROVIDED FURTHER THAT during or upon completion of directional drilling operations, the applicant shall conduct an accurate wellbore survey from the kick-off point to total depth in order that the subsurface bottomhole location, as well as the wellbore's true depth and course, may be determined.

(2) The applicant shall notify the supervisor of the Aztec district office of the Division of the date and time said wellbore surveys are to be conducted so that they may be witnessed. The applicant shall further provide a copy of said wellbore surveys to the Santa Fe and Aztec offices of the Division upon completion.

(3) Blanco-Mesaverde gas production from both the existing Atlantic "LS" Well No. 2-A (API No. 30-045-22992), located at a standard infill gas well location 1520 feet from the South line and 880 feet from the East line (Lot 8/Unit I) of said Section 24, and Atlantic "LS" Well No. 2, as described above, shall be attributed to the existing 271.94-acre non-standard gas spacing and proration unit ("GPU") comprising Lots 1, 2, 6, 7, 8, 9, 13, and 14 (E/2 equivalent) of said Section 24.


(4) The operator shall comply with all requirements and conditions set forth in Division General Rule 111.E(2) and any applicable requirements in 111.D and F and Order No. R-8170, as amended.

(5) Form C-105 shall be filed in accordance with Division Rule 1105 and the operator shall indicate thereon true vertical depth in addition to measured depths.

(6) Jurisdiction of this cause is retained for the entry of such further orders as the Division may deem necessary.

DONE at Santa Fe, New Mexico, on the day and year hereinabove designated.

STATE OF NEW MEXICO
OIL CONSERVATION DIVISION


WILLIAM J. LEMAY
Director

S E A L

WJL/MES/kv

cc: Oil Conservation Division - Aztec ✓
U. S. Bureau of Land Management - Farmington