



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Indian Agency Consolidated Ute  
Agency, Ignacio, Colorado  
Allottee Mountain Ute Tribe  
Lease No. 14-00-604-119

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<b>REPORT SERVICE 14" CASING</b>	<b>XX</b>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Aztec, New Mexico December 23, 1957

Mountain Ute  
Well No. 19-3 is located 805 ft. from N line and 2935 ft. from W line of Sec. 19  
19 31E 14W N.M.P.M.  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Terre Oulap San Juan County New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the ~~ground~~ surface above sea level is 7637 ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

## CASING DETAILS: 12-18-57

Run 63 Jbs. 5 1/2" 14 1/2 CWT J-55 casing totalling 2616.99' w/baker float shoe and float collar spaced 41.46' apart; 3 centralizers 10', 60' and 160' off bottom; spaced Halliburton bottle ring for plug above Baker float collar; set Halliburton DV tool 1172.31' above float shoe; casing landed at 2621.49' B.S. Started first stage cement at 10:40; 80 sac regular, 80 cu.ft. structurate, 6 1/2 gal, 1 1/2 floccula/sk; displaced and plugged down at 11:05; pressured casing to 1000' and released pressure. Circulated w/rig pump for 2 hours to allow initial set of first stage; cemented second stage w/80 sac regular cement, 80 cu.ft. structurate, 6 1/2 gal, 1 1/2 floccula/sk, all cement. WOC at 1:25 P.M. Circulation good, no trouble.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company FURCO PETROLEUM CORPORATIONAddress 106 W 4th StreetAztec, New MexicoBy E. L. Gullinger  
Title Dist Engr.