

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE\*  
(Other instructions on re-  
verse side)

Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.  
**Ute Mountain Tribal Lease**  
**Contract #11-60-614-12**

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR <b>Southern Union Production Company</b>	8. FARM OR LEASE NAME <b>Ute Indian</b>
3. ADDRESS OF OPERATOR <b>P. O. Box 808 - Farmington, New Mexico</b>	9. WELL NO. <b>4-17</b>
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface <b>660 feet from the South line and 1980 feet from the East line</b>	10. FIELD AND POOL, OR WILDCAT <b>Verde Gallup</b>
14. PERMIT NO.	11. SEC. T., R., M., OR BLK. AND SURVEY OR AREA <b>Sec. 17, T-34N, R-24W N.M.P.M.</b>
15. ELEVATIONS (Show whether DF, RT, GR, etc.) <b>5748 feet Derrick floor</b>	12. COUNTY OR PARISH <b>San Juan</b>
	13. STATE <b>New Mexico</b>

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐  
FRACTURE TREAT ☐  
SHOOT OR ACIDIZE ☐  
REPAIR WELL ☐  
(Other) ☐

PULL OR ALTER CASING ☐  
MULTIPLE COMPLETE ☐  
ABANDON\* ☐  
CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐  
FRACTURE TREATMENT ☐  
SHOOTING OR ACIDIZING ☐  
(Other) ☐

REPAIRING WELL ☐  
ALTERING CASING ☐  
ABANDONMENT\* ☒

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

The above well was plugged and abandoned as follows:

1. Set 5-1/2" Cast Iron cement retainer at 2450 ft. D.F. Cemented off Gallup perforations from 2535 ft. to 2700 ft. w/10 sacks regular cement.
2. Filled 5-1/2" casing w/9.0#/gal. drilling mud from 2450 ft. to 1200 ft. D.F.
3. Set 10 sack cement plug in 5-1/2" casing from 1127 ft. to 1200 ft. D.F.
4. Cut off 5-1/2" casing at 1127 feet and pulled from hole.
5. Set 90 sacks cement plug in open hole from 927 ft. to 1127 ft. D.F. Set 50 sack cement plug across bottom of surface casing from 40 ft. to 90 ft.
6. Set 10 sack cement plug in top of surface casing.
7. All intervals between plugs was filled w/9.0#/gal. drilling mud.
8. Erected regulation dry hole marker and cleaned location.
9. Well plugged and abandoned January 13, 1965.



RECEIVED

JAN 23 1965

U. S. GEOLOGICAL SURVEY  
DURANGO, COLO.

18. I hereby certify that the foregoing is true and correct.

SIGNED **Gilbert D. Heland, Jr.**

TITLE **Drilling Superintendent**

DATE **January 25, 1965**

APPROVED

(This space for Federal or State office use)

CONDITIONS OF APPROVAL, IF ANY:

FEB 25 1965

JERRY W. LONG  
DISTRICT ENGINEER

\*See Instructions on Reverse Side

*Se*