## (SUBMIT IN TRIPLICATE)

## **UNITED STATES** DEPARTMENT OF THE INTERIOR GEOLOGICAL, SURVEY

E	ludget Bu pprovál e	reau No. 4 xpires 12-3	9-R359.4. 1-60.	1
Indian A		لمهجوا	Alaka	I W
40000	la Re	رمنجد	Orlo	rale
Allottee		inda (	to Dr	(Do
Leave No	14-1	10-604	-119	

OTICE OF INTENTION TO DRILL	
OTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF WATER SHUT-OFF
OTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING SUBSEQUENT REPORT OF ALTERING CASING.
OTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.
OTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT 12 1
OTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
OTICE OF INTENTION TO ABANDON WELL	APRIO 18
	11 8 62010616 3 81
(INDICATE ABOVE BY CHECK MA	ARK NATURE OF REPORT, NOTICE, OR OTHER DATA FARMINGTON. NEW MICH.
	I minimus only state serior
	19 77
Puboo Mountain	
ll No. 100 ft. is located 660 ft.	from S line and t. from W line of sec.
	[W]
(34 Sec, and Sec. No.) (Twp.)	Range) (Maridian)
(1wp.)	(Bange) (Meridian)
	nty or Subdivision) (State or Territory)
Ground Level	nty or Subdivision) (State or Territory)
e elevation of the described above sea	level is ft.
DET	AILS OF WORK
te names of and expected depths to chiective sands: show	r sizes, weights, and langths of reconceed onel-man in-linear and langths of the
te names of and expected depths to objective sands; show ing points, and a	sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement- ill other important proposed work)
te names of and expected depths to objective sands; show ing points, and a R\$ is prepared to drill wi	sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement- ill other impertant proposed work)
to names of and expected depths to objective and sign points, and a  It is prepared to crill vi  /or cooling and community to marriage.	vaizes, weights, and lengths of proposed casings; indicate mudding jobs, coment- ill other impertant proposed work)  (4) School to a depth of 100; feet, and
to names of and expected depths to objective and si ing points, and a  It is prepared to drill vi  /or casing and community marriage the ten of the productive name. F	vaizes, weights, and lengths of proposed casings; indicate mudding jobs, comentall other impertant proposed work)  (the return tools to a dapth of 100; foot, get  1/100 case. Thereafter to drill fith return to
to names of and expected depths to objective and sign points, and a  It is prepared to drill vi  /8" cooling and commit to murface the top of the producing none, r  0 com. Thereafter to drill in	raizes, weights, and lengths of proposed casings; indicate mudding jobs, comentall other impertant proposed work)  Lith subject, the control of 100; feet, set  1/160 per. The regular to grill fifth retery to  the electric log and run 5-1/2" control and come  1/16 period to the control of th
The proposed to drill vi /8" cooling and commit to muritare the top of the probability some, y 0 cars. Thereafter to drill in vi 0 cars. Thereafter to drill in vi 0 cars. Thereafter to drill in vi	raises, weights, and lengths of proposed casings; indicate mudding jobs, comentall other impertant proposed work)  [this probably tocals to a depth of 100; feet, get  1/160 per. Thereoffee to grill fith rotage to  rea closerie log and run 5-1/2" coming and come  1(th quick tocals, run 667 log, free through mag-
to names of and expected depths to objective and sign points, and a like proposed to drill via /8" costing and commit to curritace the top of the producing name, red commit to drill in via cost. Thereafter to drill in via cost and 20,000 gallone of crude and 20,000 it daily rate of production to drill in the cost of	raises, weights, and lengths of proposed casings; indicate mudding jobs, comentall other imperiant proposed work)  ith returns tools to a depth of 100; feet, set w/160 but. Thereoffer to crill fith return to a classical log and run 5-1/2" conting and runs sith cable tools, run off log, free through one log conts sith cable tools, run off log, free through one log conts sith and tool will with cable tool ri
to names of and expected depths to objective and sign points, and a like proposed to drill visible to open and comment to confident the top of the producing some, respectively to drill in visible to open and some of crush and 20,00 il daily rate of production is on a combation as a combation as a	raises, weights, and lengths of proposed casings; indicate mudding jobs, comentall other impertant proposed work)  ith substant tools to a depth of 100; foot, set  1/100 page. Thereofter to drill fith rotary to  rea electric log and rea 5-1/2" coming and successful tools, from thereofter  ith cable tools, run fit log, from thereofter  if coming single and tools will with cable tool ri-  oranle single and complete. She fitted of the
to names of and expected depths to objective and stands in proposed to drill vision of comments to marriage the tray of the producing some, of the producing some, of the producing some, or the producing some, or of the production of cruit and so,000 gallons of cruit and so,000 allows of production is on, combaining to estate, more or	reizes, weights, and lengths of proposed casings; indicate mudding jobs, comentall other impertant proposed work)  (the public to a depth of 100; first, set 1/100 pairs. The research to drill fith retains to a classific log and run 5-1/2" contag and come sith cable tools, run off log, from the contag and contact to the cable tool rich cable tool rich cable tool research. The retains of the setablished joint complete. The retain of the setablished joint complete. The retain of the setablished joint complete.
to names of and expected depths to objective and sing points, and a like it is proposed to drill vision of count to marriage the tay of the producing some, you can be depthed and 20,00 gallone of crude and 20,00 it daily rate of production is on, combalating to acree, more or and depthes 2,630 feet.	reizes, weights, and lengths of proposed casings; indicate mudding jobs, comentall other important proposed work)  (the privacy tools to a depth of 100; feet, get  1/260 pair. The realther to brill fith reteny to  ren electric log and run 5-1/2" conting and come  (th colds tools, run off log, free through man  (of comis single and took wall with cable tool ri-  contilished sand complete. The state of  less; is indicated to the wall site, materials
to names of and expected depths to objective and sing points, and a like it is proposed to drill vision of count to marked the top of the producing some, r G care. Thereafter to drill in visions of crude and 20,00 it duly rate of production is on, combalating to acree, more or all depths 2,630 feet.	raises, weights, and lengths of proposed casings; indicate mudding jobs, comentall other impercant proposed work)  [the privacy tools to a dample of 100; feet, set w/160 cas. The respector to grall fifth reteny to a closerie log and run 5-1/2" consing and come gith cable tools, run fifth tools tools and complete. See Saide tool rises confidence in the cable tool rises can be supplied to the relationship and complete. See Saide of the lease; is indicated to the rule state.
to names of and expected depths to objective and sing points, and a  It is proposed to drill vi /8" coming and commt to murrhood the tay of the producing some, y 6 car. Thereafter to drill in v 9,000 gallons of crude and 20,00 il daily rate of production is o m, combining to caree, more or mit depths 2,630 feet.	raises, weights, and lengths of proposed casings; indicate mudding jobs, comentall other impertant proposed work)  [the publicative teaches to a despite of 100; feet, get w/160 page. The respective to grill fifth retains to a clearly le lang and run f-1/2" conting and committe units while teacher, run 667 less, from thereof, run 667 less, from thereof, run feet will with cathle teacher to the relationship and completes. See September of the language is ductionated to the rule of the language.
to names of and expected depths to objective and sing points, and a  It is proposed to drill vi /8" cooling and commt to surface the top of the producing some, y 8 star. Thereafter to drill in v 9,000 gallons of crute and 20,00 il daily rate of production is o n, combaining to cores, more or al depths 2,630 feet.	the return tools to a depth of 200; fort, not 1/200 peer. Thereofter to drill this retent to 1/200 peer. Thereofter to drill this retent to 1/200 peers and remark the conting and remark the conting and remark the conting and remark the conting and remark the formal conting and remark the first peers of the conting and complete. The conting of the second to the mall this.  [RECTIVE]
to names of and expected depths to objective and a life proposed to drill vis /8" oneing and commt to surface the top of the producing some, respectively to drill in a second surface of graduation is a surface of production is a surface of graduation is a surface of graduation is a surface of graduation is a surface of graduation.	the return tools to a depth of 200; fort, not 19/200 peer. Thereofter to drill this retent to 19/200 peer. Thereofter to drill this retent to 19/200 peer land one of the 19/200 peer land one of the 19/200 peer land on 19/200 p
It is proposed to drill to formation of the producing some, to be drill in the second of the producing some, to drill in the second sec	the return tools to a depth of 100, foot, set w/100 per. Thereafter to 47111 this return to a/100 per. Thereafter to 47111 this return to a shortest larg and rea 5-1/5" conting and reach the address and reach and the address to the address of the shortest large and reach and address to the military of the address; is defined to the military of the address; is defined to the military of the address; is defined to the military of the address to the address
It is proposed to crill ving points, and a life proposed to crill ving points, and a life of crill ving points, and a life of critical content to marriage the tay of the producing some, you content to crill in vince of crude and 20,00 ill daily rate of production is on a containing to acree, more or all depths 2,630 feet.	the return tools to a depth of 100, foot, set w/100 per. Thereafter to 47111 this return to a/100 per. Thereafter to 47111 this return to a shortest larg and rea 5-1/5" conting and reach the address and reach and the address to the address of the shortest large and reach and address to the military of the address; is defined to the military of the address; is defined to the military of the address; is defined to the military of the address to the address
It is proposed to drill to for any and comment to married the try of the producing some, respective to drill in the solution of crude and 20,00 il daily rate of production is on any ambiguing to actes, more or all depths 2,630 feet.	the return tools to a depth of 100, foot, set w/100 per. Thereafter to 47111 this return to a/100 per. Thereafter to 47111 this return to a shortest larg and rea 5-1/5" conting and reach the address and reach and the address to the address of the shortest large and reach and address to the military of the address; is defined to the military of the address; is defined to the military of the address; is defined to the military of the address to the address
It is proposed to drill to formation of the producing some, to be drill in the second of the producing some, to drill in the second sec	the return tools to a depth of 100, foot, set w/160 per. Thereafter to drill tith retery to a classific lag and run 5-1/2" conting and runs of the address to the set of the set
It is proposed to drill vi.  /8" ensing and commt to marked the top of the producing some, r  8 car. Shorenfter to drill in v  9,000 gallons of crude and 20,00  il daily rate of production is o  a, containing to acres, more or  al depth: 2,630 feet.  understand that this plan of work must receive approval  mpany PROS PRESCRIM CONTAIN	the return tools to a depth of 100, foot, set w/160 per. Thereafter to drill tith retery to a classific lag and run 5-1/2" conting and runs of the address to the set of the set
It is proposed to drill to for any and comment to married the try of the producing some, respective to drill in the solution of crude and 20,00 il daily rate of production is on any ambiguing to actes, more or all depths 2,630 feet.	the return tools to a depth of 100, foot, set w/160 per. Thereafter to drill tith retery to a classific lag and run 5-1/2" conting and runs of the address to the set of the set
It is proposed to drill vi.  /8" ensing and commt to marked the top of the producing some, r  8 car. Shorenfter to drill in v  9,000 gallons of crude and 20,00  il daily rate of production is o  a, containing to acres, more or  al depth: 2,630 feet.  understand that this plan of work must receive approval  mpany PROS PRESCRIM CONTAIN	the return tools to a depth of 100, foot, set w/100 sex. Thereafter to drill fith retery to a classical log and rea 3-1/2" cosing and read the color tools and read log. Space through one of cosing and complete. The return of the residual family and complete to the residual family and r
It is proposed to drill vi.  /8" ensing and commt to marked the top of the producing some, r  8 car. Shorenfter to drill in v  9,000 gallons of crude and 20,00  il daily rate of production is o  a, containing to acres, more or  al depth: 2,630 feet.  understand that this plan of work must receive approval  mpany PROS PRESCRIM CONTAIN	the return tools to a depth of 100, foot, set w/160 per. Thereafter to drill tith retery to a classific lag and run 5-1/2" conting and runs of the address to the set of the set

and the first of the second of the second

## NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and/or Gas Provation Plat


Operator PUPCO PETROLEUM CO.

Lease UTE

Well No. 18-13 Section 18 Township 31 N Range NMPM

Located 660 Feet From south Line, 660 Feet From Nest Line, San Juan County, New Mexico, G. L. Elevation 5670

Name of Producing Formation Cally Pool Villest Dedicated Acreage (100 cc.)



Scale-1 Inch Equals 1000 Feet

1.	Is this	Wall o	Dural	Comp.?	Ves	No.	
1.	IS UIIIS	wen a	T):(ct)	Comp	165	* KO .	

2. If the answer to Question 1 is yes, are there any other dually completed wells within the dedicated

Name Frank & Curbon, St.
Position Vice President
Prince President

Address Max 1219, Albuquerque, New Mexico

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Date Surveyed March 11, 195

Stephen H. Kinging

STEPHEN H. KINTEN STEPHEN STEPHEN H. KINTEN STEPHEN ST