dian Agency usto, Columno state Use Tribe (SUBMIT IN TRIPLICATE) .. No. 14-80-604-119 UNITED STATES DEPARTMENT OF THE INTERIOR Form 9-331 b (April 1963) GEOLOGICAL SURVEY NDRY NOTICES AND REPORTS ON WELLS SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF REDRILLING OR REPAIR. TION TO DRILL NTION TO CHANGE PLANS SUBSEQUENT REPORT OF ABANDONMENT. PENTION TO TEST WATER SHUT-OFF. ATTENTION TO REDRILL OR REPAIR WELL SUPPLEMENTARY WELL, HISTORY. INTENTION TO SHOOT OR ACIDIZE OF INTENTION TO PULL OR ALTER CASING. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) OF INTENTION TO ABANDON WELL line and 660 ft. from E line of sec. 18 is located 1980 ft. from S H.M.P.M. (State or Territory) Well No. (County or Subdivision) above sea level is _____ft. d Jerel ssings; indicate mudding jobs, cement-(Field) DETAILS OF WORK The elevation of the MAY 21 1957 OIL CON. COM. DIST: 3 Company ____

Title___

U. S. GOVERNMENT PRINTING OFFICE

Address...

To the second se

NO STRONG ON

I may be a second of the secon

Wa.

Control of the second of the s

UNITED STATES

DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Agency Lindian Arency Consolidates (Consolidates) The Lindian Arency Consolidates (Consolidates) The Lindian Arency Lindian Uses Consolidates (Consolidates) Lindian Consolida

STINDRY NOTICES	SUNDRY NOTICES AND REPORTS ON WELLS		
SUNDKI NOTION		SUBSEQUENT REPORT OF WATER SHUT-OFF	
TO DRILL		SUBSEQUENT REPORT OF WATER SHOOTING OR ACIDIZING	
TICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF ALTEDING CASING.	
TICE OF INTENTION TO CHANGE PLANSTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
TICE OF INTENTION TO BEDDILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.	
TICE OF INTENTION TO REDRILL OR REPAIR WELL.		SUBSEQUENT REPORT OF ABANDONMENT.	
TICE OF INTENTION TO SHOOT OR ACIDIZE		SUPPLEMENTARY WELL HISTORY.	
TICE OF INTENTION TO PULL OR ALTER CASING		**	
TICE OF INTENTION TO ABANDON WELL		- Land Control of the	
A POWE BY CHECK	MARK NAT	TURE OF REPORT, NOTICE, OR OTHER DATA)	
(INDICATE ABOUT DE		16 19 57	
		7 manual of the second of the	
ell No. 18 is located 1980 f		line and 660 ft. from E line of sec. 18 M.M.P.M.	
(1 Sec. and Sec. No.) (Twp.)		(Range)	
	n Ju	(State or Territory)	
(Field)	(County or	Subdivision)	
		el isft. LS OF WORK	
		LS OF WORK s., weights, and lengths of proposed casings; indicate mudding jobs, cement- ther important proposed work) retery tools to a dayth of 100+ foot, set	
State names of and expected depths to objective sands; ing points,			
		LS OF WORK se, weights, and lengths of proposed casings; indicate mudding jobs, cement- ther important proposed work) retery tools to a depth of 100; foot, set retery tools to a depth of 100; foot, set retery tools to a depth of 100; foot, set retery tools to a depth of 100; foot, set retery tools to a set in set in the set retery tools to a set in the s	
State names of and expected depths to objective sands; ing points, It is prepared to drill 9-5/8" coming and coment rotery tools to the top 5-1/2" coming and coment tools, run set leg, free 80,000f minds such and production is cotablish containing to comes, in depth: 2,700 feet, plus	etall ahovaira and all of vith of th to it	LS OF WORK se, weights, and lengths of proposed casings; indicate mudding jobs, cement- ther important proposed work) retery tools to a depth of 100+ feet, set reflece v/100 ess. Emerced to fill with serflece v/100 ess. Feerced to fill is with cable serflece v/20,000 sillers of crube and reflected to the wall site. RELEVE MAY 21 1957	
State names of and expected depths to objective sands; ing points, ing points, ing points, possess of careful seasons and careful seasons and careful seasons, run seasons and careful seasons, run seasons and careful seasons, in careful seasons, in depths 2,700 seaso, in	etall ahovaira and all of vith of th to it	LS OF WORK se, weights, and lengths of proposed casings; indicate mudding jobs, cement- ther important proposed work) retery tools to a depth of 100+ feet, set reflece v/100 ess. Emerced to fill with serflece v/100 ess. Feerced to fill is with cable serflece v/20,000 sillers of crube and reflected to the wall site. RELEVE MAY 21 1957	
The proposed to drill 9-5/6" easing and easen't retery tools to the top 5-1/2" easing and consect tools, run set log, free 20,000f mind; sub and production is ortablish containing to asses, in depth: 2,700 feet, plu	etall ahovaira and all of vith of th to it	LS OF WORK se, weights, and lengths of proposed casings; indicate mudding jobs, cement- ther important proposed work) retery tools to a depth of 100+ feet, set reflece v/100 ess. Emerced to fill with serflece v/100 ess. Feerced to fill is with cable serflece v/20,000 sillers of crube and reflected to the wall site. RELEVE MAY 21 1957	
It is prepared to drill 9-5/6" easing and easen't retery tools to the top 5-1/2" easing and common tools, run set leg, free 20,000f mind; such and production is orbiblish containing to asses, is depth; 2,200 feet, plus I understand that this plan of work must receive	etall ahovaira and all of vith of th to it	LS OF WORK se, weights, and lengths of proposed casings; indicate mudding jobs, cement- ther important proposed work) retery tools to a depth of 100+ feet, set refere v/100 erg. Emerced to cill site producing sems, rea electric log sed rea real casing v/20,000 alliess of crude and real casing v/20,000 alliess of crude and real casing v/20,000 alliess of crude and real casing v/20,000 alliess of the section, real caselete. See makes of the section, real caselete of the section.	
State names of and expected depths to objective sands; ing points, It is prepared to drill 9-5/8" coming and coment yetery tools to the top 5-1/2" coming and coment tools, run set log, free 80,000f minks such and production is ortablish containing to come, in depths 2,700 feet, plus	etall ahovaira and all of vith of th to it	LS OF WORK se, weights, and lengths of proposed casings; indicate mudding jobs, cement- ther important proposed work) retery tools to a depth of 100+ feet, set reflece v/100 ess. Emerced to fill with serflece v/100 ess. Feerced to fill is with cable serflece v/20,000 sillers of crube and reflected to the wall site. RELEVE MAY 21 1957	
State names of and expected depths to objective sands; ing points, It is prepared to drill 9-5/8" coming and coment rotery tools to the top 5-1/2" coming and coment tools, run set leg, free 20,000f ment; such and production is containing containing to come, in depth; 2,700 feet, plus I understand that this plan of work must receive	etall ahovaira and all of vith of th to it	LS OF WORK se, weights, and lengths of proposed casings; indicate mudding jobs, cement- ther important proposed work) retery tools to a depth of 100+ feet, set reflece v/100 ess. Emerced to fill with serflece v/100 ess. Feerced to fill is with cable serflece v/20,000 sillers of crube and reflected to the wall site. RELEVE MAY 21 1957	
State names of and expected depths to objective sands; ing points, ing and comments, ing production is creating and containing to make and containing to make, in depths 2,300 feats, plus I understand that this plan of work must receive Company Page Page 1419	etall ahovaira and all of vith of th to it	LS OF WORK se, weights, and lengths of proposed casings; indicate mudding jobs, cement- ther important proposed work) retery tools to a depth of 100+ feet, set reflece v/100 ess. Emerced to fill with serflece v/100 ess. Feerced to fill is with cable serflece v/20,000 sillers of crube and reflected to the wall site. RELEVE MAY 21 1957	
State names of and expected depths to objective sands ing points, ing points, ing points, ing points, ing points, ing points, restary tools to the top 5-1/2" easing and eases, tools, restard and containing and eases, ing production is established containing to make, in depth; 2,300 Seat, plus I understand that this plan of work must receive Company PERCO PRINCE, Box 3419	etall ahovaira and all of vith of th to it	LS OF WORK se, weights, and lengths of proposed casings; indicate mudding jobs, cement- ther important proposed work) reviews teeds to a depth of 100; foot, set reviews v/100 eeg. Proposed for 100; foot, set reviews v/100 eeg. Proposed for its call vita reviews v/100 eeg. Proposed for its call vita reviews v/100 eeg. Proposed for its call vita reviews v/100,000 gallons of crude and review v/100,000 gallons of the section, reviews to the wall site. Reviewed total reviews to the wall site. RIFLYE MAY 21 195 In writing by the Geological Survey before operations may be commenced. OIL CON. CO	

ANI.

i-aliansimo j

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-128

Registered Professional Engineer and Land Surveyor

Well Location and/or Gas Provation Plat Date... PUBCO PETROLEUM CO. Operator Lease 31 N Well No. 18-9 Section 18Township. Range. NMPM Located 1980 Feet From south Line, Feet From Line, San Juan County, New Mexico. G. L. Elevation 5801 Name of Producing Formation ... - Pool Dedicated Acreage (Note: All distances must be from outer boundaries of Section) RECEIVED MAY 20 1957 U. S. GEOLOGICAL SURVEY FARMINGTON, NEW MEXICO U.S.D.L. Scale-1 Inch Equals 1000 Feet 1. Is this Well a Dual Comp.? Yes ... No This is to certify that the above plat was prepared 2. If the answer to Question 1 is yes, are there any from field notes of actual surveys made by me or under my supervision and that the same are true other dually completed wells within the dedicated and correct to the best of my knowledge and belief Name ... Date Surveyed March 11, 19 Representing Address STEPHEN H. KINN