

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Budget Bureau No. 49-B280.4
Approval expires 12-31-60.

Indian Agency Montezuma Strip
Agency, Township, and Range Montezuma Strip
Allottee Montezuma Strip
Lease No. 11-02-01-1094

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

RECEIVED
JUL 11 1961
U. S. GEOLOGICAL SURVEY

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Montezuma Strip July 6, 1961

Well No. 11-1 is located 75 ft. from N line and 50 ft. from E line of sec. 16
Section 16 (4 Sec. and Sec. No.) 11 North 14 West (Twp.) R.1.E.2.E. (Range) Meridian (Meridian)
Montezuma Strip (Field) New Mexico (County or Subdivision) New Mexico (State or Territory)

The elevation of the ground surface above sea level is 2150 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is proposed to pull casing and plug the subject well. A 15-inch plug will be set covering the open hole and approximately 30' of casing. A 10-inch plug will be set covering the slot on the out-cast portion of the pipe. A 15-inch plug will be set covering the end of the surface casing. A 5-inch plug will be set on surface for a moment. In the event we are unable to pull any casing the casing will be filled with mud from the bottom plug to the surface plug. Cement will be pumped down the annulus between the surface pipe and production pipe to prevent surface water contamination.

The production on this well is now 1 MWD.

RECEIVED
JUL 13 1961
OIL CON. COM.
DIST. 3

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be conducted.

Company PERO MINERALS CORPORATION
Address 200 West Center,
Albuquerque, New Mexico

By [Signature]
Title Geological Engineer