

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency _____

Allette _____

Learn No. _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	<div style="text-align: center;"> RECEIVED JUN 20 1963 U. S. GEOLOGICAL SURVEY FARMINGTON, NEW MEXICO </div>
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. _____ is located _____ ft. from [N] line and _____ ft. from E line of sec. _____

(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)

_____ (Field) _____ (County or Subdivision) _____ (State or Territory)

JUN 21 1963
RECEIVED
DIST. 3

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work.)

Battery drilling equipment will be used to drill to approximately 7500', a French tank. Sealing program will depend on the results of drilling conductive beds in British has noted this on two casing programs and hole plans. First consideration is 60' of 12-1/2" BOP of 2-1/2" and 24 water flow logs of 7". Second consideration is 60' of 12-1/2" BOP of 12-1/2" and 24 water flow logs of 2-1/2". If production is encountered, the vertical extent of 12" or 24" production casing will be run and cemented with a sufficient volume of cement to assure the highest probability of sealing zone. Approximately four drill stem tests and 24" of casing are recommended on every casing before 2500'. The program will consist of testing using flow meters to 2500', and a few surface oil analysis from 2500' to total depth. Electric logs, etc. will be run prior to getting productive casing or abandonment of well. Stimulation treatments such as acidizing or fracturing may be employed in completion.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Mobile Oil & Refining Company

Address 2000 N. 10th St.

[REDACTED] [REDACTED]

By COPY (ORIGINAL) B. M. BRADLEY
SIGNED

Title _____

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

Section A.

Date **JUN 19 1963**Operator **HUMBLE OIL & REFINING COMPANY**

Haystack Mountain Wildcat

Lease **NAVAJO TRIBE OF INDIANS TRACT 24**Well No. **1** Unit Letter **A** Section **15** Township **31 North** Range **18 West** NMPMLocated **990** Feet From **North** Line **990** Feet From **East** LineCounty **San Juan** Elevation **5147.6' ungraded** Dedicated Acreage **100** AcresName of Producing Formation **Paradox** Pool


1. Is the Operator the only owner in the dedicated acreage outlined on the plat below?

Yes ☒ No ☐2. If the answer to question one is "no", have the interests of all the owners been consolidated by communitization agreement or otherwise? Yes ☐ No ☐ If answer is "yes", Type of Consolidation.

3. If the answer to question two is "no", list all the owners and their respective interests below:

Owner

Land Description



Section B.

Note: All distances must be from outer boundaries of section.

This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.

HUMBLE OIL & REFINING COMPANY


COPY (ORIGINAL SIGNED) **B. M. BRADLEY**

(Representative)

P. O. BOX 3082

(Address)

Durango, Colorado



0 330 660 990 1320 1650 1980 2310 2640 2970 3300 3600

Scale 4 inches equal 1 mile



(Seal)

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Date Surveyed **19 June 1963**

Registered Professional Engineer and/or Land Surveyor
Robert H. Ernst, N. Mex. PE & LS 2463

Farmington, New Mexico
San Juan Engineering Company