(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Approvaterpins 12-31-00.					
Land Sill	pta 7 e				
Land	021123				
Jan D	EGELVE				

Budget Bureau No. 42-R358.4.

JJL 1 : 1000

SUNDRY N	OTICES	AND	REPORTS	ON	WELLS U. S. GEOLOGICAL	SURVEY
----------	--------	-----	---------	----	---------------------------	--------

	FARMINGTON, NEW MEXICO			
NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF			
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING			
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING			
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.			
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT.			
	SUPPLEMENTARY WELL HISTORY			
NOTICE OF INTENTION TO ABANDON WELL.				
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)				

					July	11,	60,9
GOVERNMENT LES Well 118.			ft. f	rom_{S}	line 398	ft. from	$egin{pmatrix} {f E} \\ {f W} \end{bmatrix}$ line of sec
5W/4	5 ec. 8	31N	12%		NMFM		
	(1/4 Sec. and Sec. No.)		(Twp.)	(Range)		(Meridian)	
Ilmdenie	mated Dakota	San	Juan			New Mexico	•
A 1944 A 17	(Field)			unty or Subdivi	sion)	(Sta	te or Territory)

The elevation of the derrick floor above sea level 18 1

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement-ing points, and all other important proposed work)

Set 200' 9-5/8" surface casing and circulate coment to surface.

Drill with mud to approximately 7100' to test Dakota.

Run 5-1/2" casing to T.D., cement lower 800% and stage cement opposite Pt. Leokout.

Perforate and sand-water frac Dakota. Complete a single zone producer.

(/
\	
Brazes	Carle Total
Production Man	Medr
	Beorge S. Fars

NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

			SECTION A		
			Lease	cone	Well No.
	D OLL AND GA	Township	Range	EEDS County	1.0
L	8	31 NORTH	12 WEST	SAN JUAN	
ctual Footage Lo			000	2.2.00	
1650 nound Level Elev	feet from the Producing F	SOUTH line and	l 990 feet Pool	from the WEST	line Dedicated Acreage:
6009 . 0	Dakota_	ermation '	Undesignat	ed	320 Acres
		Ref: GLO pl	at dated 18 Novem	per 1953	
		the dedicated acreage	utlined on the plat below?	YES <u>T</u> NO	. ("Owner" means the person
	ht to drill mic an 3–29 (e) NMSA 19		ol and to appropriate the t	roduction either for	himself or for himself and
		•	of all the owners been co	nsolidated by commi	unitization agreement or other-
	=	If answer is "yes," Type			
. If the answer to	question two is	"no," list all the owner	and their respective inte	ests below:	
Owner			Land Descript	ion	
					The state of the s
		SECTION B			CERTIFICATION
f					Sec. 1982
				3 1	by certify that the information
	!		i	1 1	CTION A above is true and com-
			İ	belief	to the best of my knowledge and
	Ì			Jene	·
	!	l l		Name	
	•			Geo	rge L. Parmar
				Positi	
# # # # # # # # # # # # # # # # # # #			i	Compa	duction Manager
			4		solidated Oil & Gas.
	i I			Date	
	i			July	y 11, 1960
		Q	!		
				I herel	by certify that the well location
			1	shown	on the plat in SECTION B was
	}		•		d from field notes of actual
				# · · · · · · · · · · · · · · · · · · ·	s made by me or under my
−990 −	?		!		vision, and that the same is true
L				and be	orrect to the best of my knowledge elief.
`			į	31.	
5	Ž		į	1 1 1 1 1 1 1 1 1 1	S 1
	3	**************************************		Date	Surveyed 5 April 1960
	×		•	Regist	tered Professional Engineer
			1	2 1	r Land Surveyor
			j		mes G. deese
1ŧ		13	,	J	ames P. Leese

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.