

(SUBMIT IN TRIPLICATE)

Indian Agency Navajo Tribal

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Allottee \_\_\_\_\_

Lease No. Contr. #14-20-600-3530

	7		
	x		

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	x
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 18, 19 63

Chimney Rock  
Well No. 23-7 is located 1980 ft. from N line and 2310 ft. from E line of sec. 7  
SW 1/4 Sec. 7 31N 16W NMPM  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Undesignated Gallup San Juan New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the ~~formation~~ KB above sea level is 5774 ft. Ground 5763'.

APR 22 1963

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mud line, cementing points, and all other important proposed work)

U.S. GEOLOGICAL SURVEY  
FARMINGTON, NEW MEXICO

- 3/24/63 T.D. 1800'. Ran 57 joints (1806') J-55, 14#, 5 1/2" casing. Shoe at 1798'. Cemented 5 1/2" casing with 150 sax cement with 2% CaCl2 with 20 bbls. Gel water ahead. WOC 24 hrs. & press. tested w/3500 psi for 30 min., held ok.
- 3/25/63 Perf'd 5 1/2" casing as follows:  
4-way radial crack jets at 1743' and 2 crack jets/ft. 1726/1736'. (24 shots). Sand-oil fraced with 922 bbls. crude and 57000# 20-40 sand. Breakdown at 2700 psi. Ran Rods, Tubing and Pump and put well on production.
- 4/5/63 I.P. 81 bbls./day, no bbls. water.
- 4/13/63 G.O.R. on 2" choke, 131 bbls. 48.25 Mcf gas, G.O.R. 368 cu ft.

I understand that this plan of work must receive approval in writing by the Geological Survey before operation may be commenced.

Company Secony Mobil Oil Company, Inc.

Address P. O. Box 3371

Durango, Colorado

By M. J. Meyer  
Title Sr. Production Foreman

RECEIVED  
APR 23 1963  
OIL CON. COM.  
DIST. 3

