Biidget Bureau No. 42-R358.4 Firm Approved.

Form 9-331 a Feb. 195).



(SUBMIT IN TRIPLICATE)

UNITED STATES

DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office Santa Fe

Lease No. 078389

Unit

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL SUBSEQUENT REPORT OF WATER SHUT OFF NOTICE OF INTENTION TO CHANGE PLANS SUBSEQUENT REPORT OF SHOOTING OR ACHOIZING OF THE NOTICE OF INTENTION TO TEST WATER SHUT-OFF SUBSECUENT REPORT OF ALTERING CASHED IS U IS U V NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL SUBSEQUENT REPORT OF REDRILLING CHEREPAIR NOTICE OF INTENTION TO SHOOT OR ACIDIZE SUBSEQUENT REPORT OF ABANDONMENT MAR 11 196B NOTICE OF INTENTION TO PULL OR AFTER CASING SUPPLEMENTARY AFT HISTORY XX NOTICE OF INTENTION TO ABANDON WELL U. S. CECLOCICAL SURVEY INDICATE ABOVE BY CHECK MARP NATURE OF REPORT NUMBER OR CITIER LATA.

January 28

. 19 63

Lucerne Well No. 4-A

is located 1714 ft. from In line and 970 ft. from E line of sec.

NE/4 Section 10 (4, 5) c. al. 1 Sec. No. 31-N

10-W (Range) N.M.P.M. a Mer Lan

Blanco Mesa Verde

San Juan r Subdivisione

(Twp)

New Mexico

The elevation of the derrick floor above sea level is 6001 ft.

DETAILS OF WORK

rive sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement-ng points, and all other important proposed work;

It is intended to plug and abandon this well in the following manner:

- 1. Spot a 15 sk. cement plug across perfs (5160-5228') and pull tubing.
- 2. Find free point and cut $4 \frac{1}{2}$ casing.
- 3. Spot a 55 sack cement plug across stub to come at least to 4500' and pull casing.
- 4. Spot a 20 sack cement plug @ surface and install a 4' x 4" dry hole marker.

I understand that this plan of work must receive approval in writing by the Geological S

Company

El Paso Natural Gas Company

Address

Box 990

Farmington, New Mexico

By,

Title Petroleum Engineer