

(SUBMIT IN TRIPLICATE)

UNITED STATES

and Office Canta Pa Lass No. SF 073215-B

DEP/	ARTMENT OF THE INTERIOR GEOLOGICAL SURVEY	Designated as drilling
SUNDRY NOT	ICES AND REPORTS OF	N WELLS
NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATE	P. SUIT OFF
NOTICE OF INTENTION TO CHANGE PLANS		TING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OF	•	RING CASING.
NOTICE OF INTENTION TO RE-DRILL OR REPAIR		ILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		ONMENT
)	SUPPLEMENTARY WELL HISTOR	
NOTICE OF INTENTION TO ABANDON WELL	Y CHECK MARK NATURE OF REPORT, NOTICE, OR OTHE	
(INDICATE ABOVE BY		, 19 <u>53</u>
Primo Federal Well No. 1 is located 1656	2. ft. from $\begin{bmatrix} X \\ S \end{bmatrix}$ line and 1550 ft. fr	
	IN 10H N M	
Blanco	San Juan Ne	W Mexico (State or Territory)
The elevation of the derrick floor ab	ove sea level is 5333 ft. DETAILS OF WORK ands; show sizes, weights, and lengths of proposed coints, and all other important proposed work)	asings; indicate mudding jobs, cement-
Spud: 4-15-53	,	
Surface Pipe Details:	4-15-53 Ran 7 joints 10 3/4 0.1 (2 jts. L. W. 32.75# as 40.5#). Casing landed a cemented casing w/ 175 cement - good cement re	at all from K. B. sax of Ideal common
Water Shut Off Test:	4-17-53 Tested casing a 800# for thirty minutes drop.	and cement plug to
Note lesse No.		
,	ve approval in writing by the Geological Survey befo	re operations may be commenced.
CompanyPubco_Devoloped	ent, Inc.	
Address Box 344	M.E	Malwell Jr.
Aztoc, New Mex	ico By N. E.	Aaxwelf Jr.

Title Fetroloum Engineer