Budget Bureau 42-R358.3. Approval expires 12-31-55.
--

For (F	m. 9- eb. 19	8 81 a 51)	

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

	Santa 70
Lease No	078604
linit	Scott

<u></u>	ODTC ON WELLS
SUNDRY NOTICES A	ND REPORTS ON WELLS
	DEPORT OF WATER SHUT-OFF
OTICE OF INTENTION TO DRILL	PEROPE OF SHOOTING OR ACIDIZING
OTICE OF INTENTION TO CHANGE PLANS	PERCENT OF ALTERING CASING
OTICE OF INTENTION TO COMMENT WATER SHUT-OFF	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.
OTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF ABANDONMENT SUBSEQUENT REPORT OF ABANDONMENT SUPPLEMENTARY WELL HISTORY
OTICE OF INTENTION TO SHOOT OR ACIDIZE	SUPPLEMENTARY WELL HISTORY
IOTICE OF INTENTION TO PULL OR ALTER	
NOTICE OF INTENTION TO ABANDON WELL	OP OTHER DATA)
(INDICATE ABOVE BY CHECK MAR	K NATURE OF REPORT, NOTICE, OR OTHER DATA)
V.	February 3, 1954 , 19
ell No. Is located 315 (Web)	m. S line and 1650 ft. from W line of sec.
(1/4 Sec. and Sec. No.) (Twp.)	(State or Territory)
Blanco San Juan	ty or Subdivision) (State of Territory)
(Field)	
1 (1 ahaya saa	· 1· maΩL H
. (.) James of HOOF HINDY C SCA	level 18 33 It.
The elevation of the derrick floor above sea	level 18 39.3. It.
The elevation of the derrick floor above sea DET	'AILS OF WORK
DET (State names of and expected depths to objective sands; show ing points, and	w sizes, weights, and lengths of proposed casings; indicate mudding jobs, come all other important proposed work)
(State names of and expected depths to objective sands; show ing points, and ing points, and ing points, and ing points, and drilling the pay with gas these verds with 2 quarts S Casing Program: 9-5/8" at 160' with 1 7" at 4566' with 500	wizes, weights, and lengths of proposed casings; indicate mudding jobs, camerall other important proposed work) well with rotary tools through the Mass Verdicirculation, and to shoot the entire i.H.G. per foot. Total liepth 5145'. 125 sacks regular cement circulated to surface sacks of regular cement.
(State names of and expected depths to objective sands; show ing points, and ing points, and ing points, and drilling the pay with gas least verde with 2 quartes S Casing Program: 9-5/8" at 160' with 1 7" at 4566' with 500 The 5/2 of Section 4 is defined to the second section of the second section of the second	w sizes, weights, and lengths of proposed casings; indicate mudding jobs, camerall other important proposed work) well with rotary tools through the Moss Verd circulation, and to shoot the entire circulation, and to shoot the entire (.H.G. per foot. Total Depth 5145. 25 sacks regular cement circulated to surface sacks of regular cement. Alicated to this well. iled with State as soon as possible.
(State names of and expected depths to objective sands; show ing points, and i	well with rotary tools through the Moss Verd circulation, and to shoot the entire circulation, and to shoot the entire i.H.G. per foot. Total lepth 5145'. 125 sacks regular cement circulated to surface sacks of regular cement. Alicated to this well. 126 with State as soon as possible. 127 oval in writing by the Geological Survey before operations may be commenced to the commence of the commenced to the comm
(State names of and expected depths to objective sands; show ing points, and i	well with rotary tools through the Moss Verd circulation, and to shoot the entire circulation, and to shoot the entire i.H.G. per foot. Total hapth 5145'. 125 sacks regular cement circulated to surface sacks of regular cement. Alicated to this well. 126 sacks regular cement.
(State names of and expected depths to objective sands; show ing points, and ing points, and ing points, and ing points, and drilling the pay with gas with 2 quarts. See Verds with 2 quarts. See V	well with rotary tools through the Moss Verd circulation, and to shoot the entire circulation, and to shoot the entire i.H.G. per foot. Total hapth 5145'. 125 sacks regular cement circulated to surface sacks of regular cement. Alicated to this well. 126 sacks regular cement.
(State names of and expected depths to objective sands; show ing points, and i	well with rotary tools through the Moss Verd circulation, and to shoot the entire circulation, and to shoot the entire i.H.G. per foot. Total hapth 5145'. 125 sacks regular cement circulated to surface sacks of regular cement. Alicated to this well. 126 sacks regular cement.

8. F. 078389-A 88./A 88./A 84.2. 078604 84/A 84/A 84/A 84/A

•

Alberta Barrellian (1997)