


Form 9-331a
(Feb. 1951)

(SUBMIT IN TRIPLICATE)

Land Office **New Mexico-Santa Fe**
Lease No. **0271**
Unit _____

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	X
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 12, 1960

Westheimer-Houstadt

Well No. **1-5** is located **1650** ft. from **N** line and **1675** ft. from **E** line of sec. **5****SE 1/4 Sec. 5**

(1/4 Sec. and Sec. No.)

31N

(Twp.)

13W

(Range)

MDPM

(Meridian)

Undesignated Gallup

(Field)

San Juan

(County or Subdivision)

New Mexico


(State or Territory)

The elevation of the derrick floor above sea level is **5681** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Set 10 3/4" surface casing at 100'. Cemented to surface with 110 sacks Portland cement. Drilled with mud, 8 3/4" hole to 4905'. Ran Lan Wells induction log at 4628. Propose to set 7" casing at approximately 4900' and drill to Dakota with gas.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Johnston-Shear**Address **Box 2060****Farmington, New Mexico**By *Thomas E. Meyer*
Title **Production Superintendent**