

UNITED STATES DEPARTMENT OF THE INTERIOR (Other Instructions on reverse side)
BUREAU OF LAND MANAGEMENT

EXPIRES AUGUST 31, 1985
5. LEASE DESIGNATION AND SERIAL NO
14 20 603 2033
6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER **PLUG & ABANDON**

2. NAME OF OPERATOR
SOLAR PETROLEUM

3. ADDRESS OF OPERATOR
1099 18th St. Suite 2900 Denver Co, 80202

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
At surface

AUG 10 1984

1980 FSL 1980 FEL
BUREAU OF LAND MANAGEMENT
NATIONAL MONUMENTS REFERENCE AREA

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, ST, OR, etc.)
5321 GL

7. UNIT AGREEMENT NAME
NAVAJO

8. FARM OR LEASE NAME
NAVAJO TRIBE OF INDIANS G

9. WELL NO.
221

10. FIELD AND POOL, OR WILDCAT
MANY ROCKS-GALLUP

11. SEC., T., R., M., OR BLK. AND SUBDIVISION AREA
SEC 1 T31N R17W

12. COUNTY OR PARISH 13. STATE
SAN JUAN NEW MEXICO

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF
FRACTURE TREAT
SHOOT OR ACIDIZE
REPAIR WELL
(Other)
PULL OR ALTER CASING
MULTIPLE COMPLETE
ABANDON*
CHANGE PLANE

SUBSEQUENT REPORT OF:

WATER SHUT-OFF
FRACTURE TREATMENT
SHOOTING OR ACIDIZING
(Other)
REPAIRING WELL
ALTERING CASING
ABANDONMENT*
(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

This well is uneconomical to produce. It has been determined this well will not be a successful oil producer.

SURF CSG: 7" @ 33'
PROD. CSG: 2 7/8" @ 1331'
PERFS: 1272'-1282'
TBG: 1 1/4" EUE w/ BAKER 2 7/8" TENSION PKR.
300'

MI service rig
Pull tbq, rods and pump
RIH w/ tbq, displace 25 sx cement to TD.
Pull tbq to top of cement
Displace hole w/ 9.2# mud to surface.
Pull tbq to 100'. Keep hole full with mud
Displace 25 sx cement to surface
Place regulation dry hole marker in top of production csg
Cut off csg
Clean location

Work will begin ASAP

18. I hereby certify that the foregoing is true and correct

SIGNED *Dwight D. Keefe*

TITLE *Engineering Tech.*

(This space for Federal or State office use)

APPROVED AS AMENDED

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

DATE **AUG 14 1984**

NMOCC

*See Instructions on Reverse Side

for
**JOHN S. MCKEE
M. MILLENBACH
AREA MANAGER**