

B. & R.
SERVICE COMPANY

TEMPERATURE SURVEY

COMPANY PHILLIPS PETROLEUM COMPANY

WELL MESA UNIT 32-8 #2-29 FIELD

COUNTY SAN JUAN STATE NEW MEXICO

SEC. 29 TWP. 32 N RGE. 8 W

APPROX. TOP CEMENT 1,720'

Survey Begins at 1,000 Ft. Ends at 3,291 Ft.
Approx. Fill-Up 88% Max. Temp. 117 DEG. F 3,291'
Log Measured From P.T. Run No. 2


Casing Size	Casing Depth	Diam of Hole	Depth
7" from	to	8 3/4" from	to
from	to	from	to

Date of Cementing	APRIL 2, 1953	Time	8:00 A. .
Date of Survey	APRIL 2, 1953	Time	3:00 P. .
Amount of Cement	250 SACKS	Type	
Amount of Admix		Type	
Recorded by	BEAN	Witnessed by	M. T. JOHNSON

REMARKS OR OTHER DATA

Stage tool at 3,327'.

TEMPERATURE IN DEGREES FAHRENHEIT



B. & R. SERVICE COMPANY

TEMPERATURE SURVEY

COMPANY PHILLIPS PETROLEUM COMPANY
 WELL MESA UNIT 32-8 #2-29 FIELD
 COUNTY SAN JUAN STATE NEW MEXICO
 SEC. 29 TWP. 32 N RGE. 8 W

APPROX. TOP CEMENT 1,720'

Survey Begins at 1,000 Ft. Ends at 3,291 Ft.
 Approx. Fill-Up 88% Max. Temp. 117 DEG. F. 3,291'
 Log Measured From R.T. Run No. 2


Casing Size	Casing Depth	Diam of Hole	Depth
7" from	to	8 3/4" from	to
from	to	from	to


Date of Cementing APRIL 2, 1953 Time 8:00 A.M.
 Date of Survey APRIL 2, 1953 Time 3:00 P.M.
 Amount of Cement 250 SACKS Type
 Amount of Admix Type
 Recorded by BEAN Witnessed by H. T. JOHNSON


REMARKS OR OTHER DATA

Stage tool at 3,327'.

TEMPERATURE IN DEGREES FAHRENHEIT







3300

T.D. SURVEYED 3291