

(SUBMIT IN TRIPLICATE)


Land Office Santa Fe

Lease No. 078507

Unit San Juan 32-9 Unit

14-3-381-569

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	<u>Water Fracture</u> I

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

February 23, 1956

Well No. 26 is located 1650 ft. from S line and 1650 ft. from W line of sec. 26

Section 26

(1/4 Sec. and Sec. No.)

22N

(Twp.)

10E

(Range)

NPM

(Meridian)

Blanco

(Field)

San Juan

(County & Subdivision)


New Mexico

(State or Territory)

The elevation of the derrick floor above sea level is 6272 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 078507
Unit San Juan 32-9 Unit
14-05-001-569

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		<u>Water Fracture</u>	<u>X</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

February 23, 1956

Well No. 26 is located 1650 ft. from N line and 1650 ft. from W line of sec. 26

Section 26 (1/4 Sec. and Sec. No.) 32N (Twp.) 10E (Range) NMPM (Meridian)
Blanco (Field) San Juan (County & Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is 6971 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

1-15-56 Total Depth 6349'. Water fractured Point Lookout perforations 6017-6055, 6150-6182, 6275-6322 with 1390 barrels water and 60,000# sand. Breakdown pressure 1500#, maximum pressure 2100#, average treating pressure 1200#. Injection rate 44.7 bbls./min. Flush 160 bbls.

1-16-56 Total Depth 6349'. Water fractured Cliff House perforations 5609-5730 with 1404 bbls. water and 60,000# sand. Maximum pressure 1350#, average treating pressure 1200#. Injection rate 52 bbls./min. Flush 146 bbls.

1-15-56 Total Depth 6349'. Water fractured Menefee perforations 5832-5855 & 5890-5912 with 1400 bbls. water and 60,000# sand. Maximum pressure 1350#, Average treating pressure 1050#. Injection rate 53.6 bbls./min. Flush 150 bbls.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Company

Address Box 997

Farmington, N.M.

By [Signature]
Title Petroleum Engineer