

BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

3. LEASE DESIGNATION AND SERIAL NO.

SF-090517

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Payne

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Blanco Mesaverde

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 20, T32N, R10W, NMPW

12. COUNTY OR PARISH

San Juan

13. STATE

NM

1. OIL WELL ☐ GAS WELL ☒ OTHER

2. NAME OF OPERATOR

Union Texas Petroleum

3. ADDRESS OF OPERATOR

375 U.S. Highway 64 Farmington, New Mexico 87401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)

See also space 17 below.)

At surface

1525' FSL & 1690' FWL

RECEIVED

OCT 25 1985

14. PERMIT NO.

15. ELEVATIONS (Show whether of BUREAU OF LAND MANAGEMENT

6045' GR

FARMINGTON RESOURCE AREA

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other) P&A

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

1. Move in and rig up cut tubing off at 3520' - spotted 50 sks (59 cuft) Class B Neat Cement at 3560'.
2. Perforate 7" at 2885' - cement inside and outside from 2885' to 2785' with 50 sks (59 cuft) Class B Neat Cement.
3. Perforate 7' at 1179' - set 7' cement retainer at 905' - squeeze open hole with 150 sks (177 cuft) Class B Neat Cement. Sting out and dump 25 sks (29 cuft) on top of retainer.
4. Perforate 7" at 272' - cement inside and outside from 272' to surface with 50 sks (59 cuft) Class B Neat Cement.
5. Install dry hole marker.

Approved as to plugging of the well bore.
Liability under bond is retained until
surface restoration is completed.

RECEIVED
OCT 30 1985
OIL CON. DIV.
DIST. 3

5. I hereby certify that the foregoing is true and correct

SIGNED

L. L. Felt

TITLE Regulatory Technician

DATE

Oct. 23, 1985

(This space for Federal or State office use)

APPROVED BY

TITLE

CONDITIONS OF APPROVAL, IF ANY:

DATE

OCT 28 1985

John S. Kelly

*See Instructions on Reverse Side

NMOC

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER	5. LEASE DESIGNATION AND SERIAL NO. SF-080517
2. NAME OF OPERATOR Union Texas Petroleum	6. IF INDIAN, ALLOTTEE OR TRIBE NAME N/A
3. ADDRESS OF OPERATOR 375 U.S. Highway 64, Farmington, New Mexico 87401	7. UNIT AGREEMENT NAME N/A
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1525' FSL & 1690' FWL	8. FARM OR LEASE NAME PAYNE
14. PERMIT NO.	9. WELL NO. 1
15. ELEVATIONS (Show whether DP, RT, GR, etc.)	10. FIELD AND POOL, OR WILDCAT Blanco Mesaverde
	11. SEC., T., R., N., OR S.E. AND SURVEY OR AREA Section 20-T32N-R10W
	12. COUNTY OR PARISH San Juan
	13. STATE NM

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>	WATER SHUT-OFF	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	FRACTURE TREATMENT	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	SHOOTING OR ACIDIZING	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	(Other) <u>Reseed Location</u>	<input checked="" type="checkbox"/>
(Other)	<input type="checkbox"/>	(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Union Texas Petroleum wishes to advise that the subject location was reseeded using the BLM seed mixture #2. The areas reseeded were the well pad and access road, with a new berm constructed on the north side of the access road. The work was completed before September 15, 1987.

RECEIVED
NOV 09 1987
OIL CON. DIV.
DIST. 3

18. I hereby certify that the foregoing is true and correct

SIGNED Robert C. Frank TITLE Permit Coordinator DATE 10/30/1987

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE NOV 06 1987

CONDITIONS OF APPROVAL, IF ANY:

FARMINGTON RESOURCE AREA
FARMINGTON, NEW MEXICO

*See Instructions on Reverse Side

NMOCC