

District I

P.O. Box 1980, Hobbs, NM

District II

P.O. Drawer, Artesia, NM 88211

District III

1000 Rio Brazos Rd. Aztec, NM 87410

State Of New Mexico

Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

SUBMIT 1 COPY TO

APPROPRIATE

DISTRICT OFFICE

AND 1 COPY TO

SANTA FE OFFICE

(Revised 3/9/94)

PIT REMEDIATION AND CLOSURE REPORT

OK

Operator: Conoco Inc.Telephone: 505-324-5846Address: 3315 Bloomfield Hwy - Farmington, NM 87401Facility Or: Decker Primo 1

Well Name

Location: Unit or Qtr/Qtr Sec H Sec 19 T 32N R 10w County San JuanPit Type: Separator Dehydrator Other TDP Land Type: BLM X State Fee Other Pit Location: Pit dimension: length 12' width 12' depth 3'
(Attach diagram)Reference: wellhead X other Footage from reference: 63' Direction from reference: 147 Degrees X East North
of West X South

Depth To Ground Water: Less than 50 feet (20 points)
 (Vertical distance from 50 feet to 99 feet (10 points)
 contaminants to seasonal Greater than 100 feet (0 points)
 high water elevation of
 ground water) Total 0

Wellhead Protection Area: Yes (20 points)
 (Less than 200 feet from a private No (0 points)
 domestic water source, or; less than Total 0
 1000 feet from all other water sources)

Distance To Surface Water: Less than 200 feet (20 points) (20 points)
 (Horizontal distance to perennial 200 feet to 1000 feet (10 points) (10 points)
 lakes, ponds, rivers, streams, creeks, Greater than 1000 feet (0 points) (0 points)
 irrigation canals and ditches)

Total 0RANKING SCORE (TOTAL POINTS): 0

Date Remediation Started: <u> </u> <u>N/A</u>		Date Completed: <u> </u>	
Remediation Method: (Check all appropriate sections)	Excavation:	<u> </u>	Approx. cubic yards <u> </u>
	Landfarm	<u> </u>	Insitu Bioremediation <u> </u>
	Other	<u> </u>	
		<u> </u>	
Remediation Location:	Onsite <u> </u>	Offsite <u> </u>	
(ie. landfarmed onsite, name and location of offsite facility)			
General Description Of Remedial Action: <u> </u>			
No remediation - Pit is in a Non-vulnerable area.			
Ground Water Encountered:	No <u> </u> <u>X</u> Yes	Depth <u> </u>	
Final Pit:	Sample location	<u>Center of pit bottom</u>	
Closure Sampling:	<u> </u>		
(if multiple samples	Sample depth	<u>3' below bottom of pit-6' total depth</u>	
attach sample results	Sample date	<u>8/2/00</u>	Sample time <u>3:30 PM</u>
and diagram of sample	locations and depths)		
Sample Results			
	Benzene (ppm)	<u>0.21</u>	
	Total BTEX (ppm)	<u>6.07</u>	
	Field headspace (ppm)	<u>Not taken</u>	
	TPH	<u>4,210</u>	
Ground Water Sample:	Yes <u> </u> <u>X</u> No	(If yes, attach sample results)	
I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF			
DATE	<u>11/15/00</u>	PRINTED NAME	<u>John E. Cofer</u>
SIGNATURE	<u>John E. Cofer</u>	AND TITLE	<u>Environmental Coordinator</u>

EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons


Client:	Conoco, Inc.	Project #:	707003-237
Sample ID:	Tank Drain Pit	Date Reported:	08-07-00
Laboratory Number:	H854	Date Sampled:	08-02-00
Chain of Custody No:	7985	Date Received:	08-03-00
Sample Matrix:	Soil	Date Extracted:	08-07-00
Preservative:	Cool	Date Analyzed:	08-07-00
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	1,350	0.2
Diesel Range (C10 - C28)	2,860	0.1
Total Petroleum Hydrocarbons	4,210	0.1

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Decker Primo 1.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Conoco, Inc.	Project #:	707003-237
Sample ID:	Tank Drain Pit	Date Reported:	08-07-00
Laboratory Number:	H854	Date Sampled:	08-02-00
Chain of Custody:	7985	Date Received:	08-03-00
Sample Matrix:	Soil	Date Analyzed:	08-07-00
Preservative:	Cool	Date Extracted:	08-07-00
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	210	1.8
Toluene	1,120	1.7
Ethylbenzene	808	1.5
p,m-Xylene	2,560	2.2
o-Xylene	1,370	1.0
Total BTEX	6,070	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Trifluorotoluene	100 %
	Bromofluorobenzene	100 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Decker Primo 1.


Analyst


Review

7985

[illegible]

Date: 9/25/99

Site Security
(Indicate North)

Allocation meters

H2O Pit

HLP

sep.

72° NE
138'

300bbl

210l bl.

147° SE
63'

pit

dehy

not used

N

From : Decker Primo 1A

**This lease is subject to the site security plan for San Juan Basin Operations. The plan is located at: Conoco Inc.
3315 Bloomfield Hwy
Farmington, NM**