

B. & R. SERVICE, INC.

TEMPERATURE SURVEY

COMPANY EL PASO NATURAL GAS COMPANY
WELL SAN JUAN 32-9 #70 FIELD
COUNTY SAN JUAN STATE NEW MEXICO
SEC. SE NE 21 TWP. 32N RGE. 9W

APPROX. TOP CEMENT 1820'

Survey Begins at 1000 Ft. Ends at 3042 Ft.
Approx. Fill-Up 34% Max. Temp.
Log Measured From R.T. Run No. 1


Casing Size	Casing Depth	Diam of Hole	Depth
9 $\frac{5}{8}$ " from <u>0</u>	to <u>3957'</u>	12 $\frac{1}{4}$ " from <u></u>	to <u></u>
from <u></u>	to <u></u>	from <u></u>	to <u></u>

Date of Cementing JULY 7, 1959 Time 6:30 PM
Date of Survey JULY 7, 1959 Time 12:00 PM
Amount of Cement 870 SKS Type 50/50 POZMIX
Amount of Admix 6% GEL. 2% CACL 2 50 SKX Type NEAT
Recorded by SMITH Witnessed by COMPTON


REMARKS OR OTHER DATA

SECOND STAGE

BAKER STAGE COLLAR @ 3058'



TEMPERATURE IN DEGREES FAHRENHEIT



B. & R. SERVICE, INC.

TEMPERATURE SURVEY

COMPANY EL PASO NATURAL GAS COMPANY

WELL SAN JUAN 32-9 #70 FIELD

COUNTY SAN JUAN STATE NEW MEXICO

SEC. NE 21 TWP. 32N RGE. 9W

APPROX. TOP CEMENT 1820'

Survey Begins at 1000 Ft. Ends at 3042 Ft.

Approx. Fill-Up 34% Max. Temp.

Log Measured From R.T. Run No. 1

Casing Size	Casing Depth	Diam of Hole	Depth
<u>9 5/8"</u> from <u>0</u> to <u>3957'</u>	<u>12 1/4"</u> from <u></u> to <u></u>		
from <u></u> to <u></u>	from <u></u> to <u></u>		

Date of Cementing JULY 7, 1959 Time 6:30 PM

Date of Survey JULY 7, 1959 Time 12:00 PM

Amount of Cement 870 SKS Type 50/50 POZMIX


Amount of Admix 6% GEL. 2% CACL 2 50 SKX Type NEAT

Recorded by SMITH Witnessed by COMPTON

REMARKS OR OTHER DATA

SECOND STAGE

BAKER STAGE COLLAR @ 3058'



TEMPERATURE IN DEGREES FAHRENHEIT

