

## NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

## NOTICE OF INTENTION TO DRILL OR RECOMPLETE

Notice must be given to the District Office of the Oil Conservation Commission and approval obtained before drilling or recompletion begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in QUINTUPLICATE. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

	Permington, New Maxico					Pebruary 5, 1954				
	SERVATI E, NEW 1		MISSION							
tlemen:										
					e (Drilling) (Recompletion					
Il Pa	eo list	ural G	as Compan	(Company	or Operator)		••••••			
Berne				(company	., Well No	in	The well is			
			(Lease)							
- A	990	fe	et from the	ECT 18						
met				-						
VE LO	CATION	FROM	SECTION LI	·-/	Pool,					
				If State Land the Oil as	nd Gas Lease is No					
1	Management	_		If patented land the ov	vner is					
D	С	В	<b>X</b>	Address rede	val 5F 07803					
				We propose to drill wel	l with drilling equipment a	s follows:	TOUR CAPTURE			
E	F	G	Н		Uling the pay or					
-	_				bond is					
					<b>*</b>					
L	K	J	I	Drilling Contractor	Company tools					
			<u> </u>							
м	N	$\cap$	P			Maria				
М	N	О	P	We intend to complete	this well in the	lines verde	7\$ .			
м <b>баба</b> '		О	P	formation at an approx	this well in the kimate depth of PROGRAM	Mess verde 53	<b>15</b> feet			
6262'	Qer .	_		formation at an approx	kimate depth of PROGRAM	Mosa verde 53	<b>75</b>			
<b>6262'</b> We pr	Qer .	use the fo		formation at an approx	kimate depth of PROGRAM	Nosa verde 53 Depth	Sacks Cement			
<b>6262'</b> We pr	of Hole	use the fo	llowing strings	formation at an approx  CASING of Casing and to cement t	rimate depth of  PROGRAM  hem as indicated:	Depth	[2]fcct			
We pr	of Hole	use the fo	llowing strings	formation at an approx  CASING of Casing and to cement t  Weight per Foot	rimate depth of  PROGRAM  hem as indicated:	Depth 170	Sacks Cement			
We pr Size	of Hole	use the fo	llowing strings Size of Casing 9-5/8"	formation at an approx  CASING of Casing and to cement t  Weight per Foot	rimate depth of  PROGRAM  hem as indicated:	Depth	Sacks Cement			
We pr Size	of Hole	use the fo	llowing strings Size of Casing 9-5/8"	formation at an approx  CASING of Casing and to cement t  Weight per Foot	rimate depth of  PROGRAM  hem as indicated:	Depth 170	Sacks Cement			
We pr Size 13-3/4	of Hole	use the fo	llowing strings Size of Casing 9-5/8" 7"	formation at an approx  CASING of Casing and to cement t  Weight per Foot	rimate depth of	Depth 170	Sacks Cement			
We pr Size 13-3/4	of Hole	use the fo	llowing strings Size of Casing 9-5/8" 7"	formation at an approx  CASING  of Casing and to cement t  Weight per Foot  25.44  advisable we will notify you	PROGRAM hem as indicated:  New or Second Hand  Bow  u immediately.	Depth 170 4750	Sacks Cement			
We pr Size 13-3/4	of Hole	use the fo	llowing strings Size of Casing 9-5/8" 7"	formation at an approx  CASING  of Casing and to cement t  Weight per Foot  25.44  advisable we will notify you	rimate depth of	Depth 170 4750	Sacks Cement			
We pr Size 13-3/4 If cha	of Hole  of Hole  anges in the state of the	he above	llowing strings Size of Casing 9-5/8" 7"  plans become a	formation at an approx  CASING of Casing and to cement t  Weight per Foot  25.44  advisable we will notify your recompletion give full defined to the second	New or Second Hand  There  The	Depth 170 4750 work.)	Sacks Cement			
We pr Size 13-3/4 If cha	of Hole  of Hole  anges in the state of the	he above	llowing strings Size of Casing 9-5/8" 7"  plans become a	formation at an approx  CASING of Casing and to cement t  Weight per Foot  25.44  advisable we will notify your recompletion give full defined to the second	PROGRAM hem as indicated:  New or Second Hand  Bow  u immediately.	Depth 170 4750 work.)	Sacks Cement			
We pr Size 13-3/4 If cha ADDI	of Hole of Hole anges in ti	he above	llowing strings Size of Casing 9-5/8" 7"  plans become a MATION (If	formation at an approx  CASING of Casing and to cement t  Weight per Foot  25.47  advisable we will notify your recompletion give full de	New or Second Hand  The state of proposed plan of	Depth 170 4750 work.)	Sacks Cement			
We pr Size 13-3/4 If cha ADDI	of Hole of Hole anges in til ITIONAL	he above	llowing strings Size of Casing 9-5/8" 7"  plans become a MATION (If	formation at an approx  CASING of Casing and to cement to  Weight per Foot  25.47  advisable we will notify your recompletion give full december to this	PROGRAM hem as indicated:  New or Second Hand  How  Bow  Du immediately.  etails of proposed plan of	Depth 170 4750 work.)	Sacks Cement			
We pr Size 13-3/4 If cha ADDI	of Hole of Hole anges in til ITIONAL	he above	llowing strings Size of Casing 9-5/8" 7"  plans become a MATION (If	formation at an approx  CASING of Casing and to cement t  Weight per Foot  25.47  advisable we will notify your recompletion give full de	New or Second Hand  New immediately.  etails of proposed plan of  Sincerely yours,	Depth 170 4750 work.)	Sacks Cement  125 500			
We pr Size 13-3/4 If cha ADDI	of Hole  anges in the interest of the interest	he above	llowing strings Size of Casing 9-5/8" 7"  plans become a MATION (If	formation at an approx  CASING of Casing and to cement to  Weight per Foot  25.47  advisable we will notify your recompletion give full december to this	New or Second Hand  New immediately.  etails of proposed plan of  Sincerely yours,	Depth 170 4750 work.)	Sacks Cement  125 500			
We pr Size 13-3/4 If cha ADDI	of Hole  anges in the interest of the interest	he above	llowing strings Size of Casing 9-5/8" 7"  plans become a MATION (If	formation at an approx  CASING of Casing and to cement to  Weight per Foot  25.47  advisable we will notify your recompletion give full december to this	New or Second Hand  New immediately.  etails of proposed plan of  Sincerely yours,	Depth 170 4750 work.)	Sacks Cement  125 500			
We pr Size 13-3/4 If cha ADDI	of Hole  of Hole  anges in the state of the	he above	llowing strings Size of Casing 9-5/8" 7"  plans become a MATION (If	formation at an approx  CASING of Casing and to cement to  Weight per Foot  25.47  advisable we will notify your recompletion give full december to this  7, 19	New or Second Hand  New immediately.  etails of proposed plan of  Sincerely yours,  By	Depth 170 1750 work.)  8.3.6. per	Sacks Cement  125  500  ot. Oil Oil Oil			
We pr Size 13-3/4 If cha ADDI	of Hole  of Hole  anges in the state of the	he above	llowing strings Size of Casing 9-5/8" 7"  plans become a MATION (If	formation at an approx  CASING of Casing and to cement to  Weight per Foot  25.47  advisable we will notify your recompletion give full december to this  7, 19	New or Second Hand  New or Second Hand  New immediately.  etails of proposed plan of  Sincerely yours,  By	Depth 170 1750 work.)  8.3.6. per (Company or Operation of Company of Company of Company of Company or Operation of Company or Operation of Company or Operation of Company of	Sacks Cement  125  500  ot. Oil Oil Oil			
We proved.	of Hole of Hole anges in ti ITIONAL follows:	the above INFOR	llowing strings Size of Casing 9-5/8" 7"  plans become a MATION (If	formation at an approx  CASING of Casing and to cement to  Weight per Foot  25.47  advisable we will notify your recompletion give full december to this  7, 19	New or Second Hand  New or Second Hand  New immediately.  etails of proposed plan of  Sincerely yours,  By	Depth  170  1750  work.)  8.8.6. per  (Company or Operation of Company or Oper	Sacks Cement  125  500  orr  orr  orring well to			
We proved.	of Hole  of Hole  anges in the state of the	the above INFOR	llowing strings Size of Casing 9-5/8" 7"  plans become a MATION (If	formation at an approx  CASING of Casing and to cement to  Weight per Foot  25.47  advisable we will notify your recompletion give full december to this  7, 19	New or Second Hand  New or Second Hand  New immediately.  etails of proposed plan of  Sincerely yours,  By	Depth  170  1750  work.)  8.8.6. per  (Company or Operation of Company or Oper	Sacks Cement  125  500  orr  orr  orring well to			

	OIL CONSERVATION COMMISSION
	AZTEC DISTRICT OFFICE
	No. Copies Received 7
	DISTRIBUTION
	F 2017 (400)
x •	2 Provider
	A. Maring a factor
	tith, any out
•	2 2 2 2
	Transporter
	Tire

.

COMPANY								Lozos	DEC	KER
Location 9	90 F	rom No								
Being in	NE?	NE4								<del></del>
Sec. <u>23</u> , <u>7</u> 32	N., R <u>1</u>	L.W., N.	M.F <sup>1</sup> .M.,	San .	Juan	Count	y, Ne	w Mexi	.co	
Ground Ellevatio	on	6262.8	88							
			1			990`		!		
			i .				<b>\</b> -	990'		the second
		,								·
			!	SECTI	ON 23					
	· · · · · · · · · · · · · · · · · · ·								N	
			1							
		:	<del>-</del>			   			1	
		اـــــا			L	L	L	L		

Scale -- 4 inches equals 1 maie

Surveyed December	19		19 5	3
-------------------	----	--	------	---

This is to certify that the above plat was prepared from field notes of actual surveys made by the or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Registered Professional

Engineer and Land Surveyor.

Parmington, New Mexico

OIL CONSERVAT	TON COMMIS	SION
AZTEG DIST	TRICT OFFICE	
No. Copies Recei	iced 3	
DISTR	IBUTION	
	MO. NO.	
Coerator		
Santo Fe		
Property of the control	.,	
State to a fill as		
U.S.G.S		
Transpelice		
e e e e e e e e e e e e e e e e e e e		