

NEW MEXICO OIL CONSERVATION COMMISSION

NOTICE OF INTENTION TO DRILL

See Rules 101 and 1104.

If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval.

Durango, ColoradoSeptember 20, 1952

Place

Date

Notice hereby is given that it is our intention to commence the drilling of a well to be known as

Greenbrier Oil Company Maddox-Waller

Company or Operator

well No. 1in NW 1/4 SW 1/4

of Sec. 14, T. 32 N, R. 11 W, N. M., P. M. Blanco Mesa Verde Pool, San Juan County.

The well is 1650' feet from CE (S.) line and 1190' feet from

CE (W.) line of the above section.

(Give location from section lines. Cross out wrong directions.)

If state land the oil and gas lease is No. _____ Assignment No. _____

If patented land the owner is R.E. & E.H. Maddox, Artes, W.M. & J.O. Maddox,

Address Artes, J.O. & E.H. Waller, Indio, California

If government land the permittee is _____

Address _____

The lessee is _____

Address _____

We propose to drill well with drilling equipment as follows: Rotary tools will be used to

Approx. 5300'. Well will be completed with cable tools, approximately 5650'.

The status of a bond for this well in conformance with Rule 101 of the General Rules and Regulations of the Commission is as follows: \$10,000.00 Blanket Bond now on file with Conservation Commission

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
<u>13 3/8"</u>	<u>10 3/4"</u>	<u>32.75#</u>	<u>New</u>	<u>Approx 200'</u>	<u>Cemented</u>	<u>100</u>
<u>9"</u>	<u>7"</u>	<u>20# and 23#</u>	<u>New</u>	<u>Approx 5300'</u>	<u>Cemented</u>	<u>250</u>

If changes in the above plans become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 5350' feet.

Additional information: 10 3/4" casing will be set at approximately 200' and cemented to top.
7" 20# and 23# casing will be set at approximately 5300' and cemented with 200 sacks. Well
will be completed with cable tools and shot with approximately 900 quarts of solidified
OIL WELL Explosives.

Approved SEP 27 1952, 19____

except as follows:

OIL CONSERVATION COMMISSION,

By Al Gruer

Title Oil and Gas Inspector Dist. #3.

Greenbrier Oil Company

Company or Operator

By Harry J. Miller

Position Superintendent Production

Send communications regarding well to:


Name Harry J. Miller

Address 871 1/2 Main Ave., Durango, Colorado

Patented



Company Greenbrier Oil Company
Lease Waddox Waller Well No. 1
Sec. 14, T. 32 N., R. 11 W., N.M.P.M.
Location 1650' from the South line and 1190' from
the West line.
Elevation 6302.7 Ungraded ground.



Scale—4 inches equal 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Charles J. Finklea

Seal:

Registered Professional
Engineer and Land Surveyor.

Charles J. Finklea
N. Mex. Reg. No. 1302

Surveyed September 16, 19 52.

OIL CONSERVATION COMMISSION		
AZTEC DISTRICT OFFICE		
No. Copies Received 14		
DISTRIBUTION		
	U.S. BUREAU	
Operator	.10	
Santa Fe	1	
Proration Office		
State Land Office		
U. S. G. S.	2	
Transporter		
File	1	<input checked="" type="checkbox"/>