Land Office Santa Fe

Loase No. 073504

Unit San Juan 32-9 Unit

14-08-001-569

	s	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLA		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER	1 1	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL O	i li	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR	1 11	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR AL	. !!	SUPPLEMENTARY WELL HISTORY U.S. (1911)
NOTICE OF INTENTION TO ABANDON W	1 1	ARMINGTON, NEW MI
		MOTON, NEW MI
(INDICAT	E ABOVE BY CHECK MARK NATUR	RE OF REPORT, NOTICE, OR OTHER DATA)
		<u>May 6</u> , 19
	1 38 5 tr (N] 11 12. 11.00 ft from [E] 11 of sec. 13.
ell No is locate	edit. irom	line and $\frac{1100}{1100}$ ft. from $\left\{\begin{array}{c} \mathbf{E} \\ \mathbf{E} \end{array}\right\}$ line of sec. $\frac{10}{1100}$
NE Sec. 14	3211 10W	
(1/4 Sec. and Sec. No.)	(Twp.) (Range)	
Blanco (Field)	Sen Juan (County or Subdi	New Mexico (State or Territory)
	ing points, and all other in	ghts, and lengths of proposed casings; indicate mudding jobs, ceme mportant proposed work)
4-22-53. Total Depth	h 6018	er (22 62) set from 3753 to 6005 vi
4-22-53. Total Depth	h 6018	mportant proposed work)
4-22-53. Total Depth Ran 54 joints 5 1/2 100 sacks regular cer	h 5018 , 15.50#, J-5 5 line ment, 100 sacks Po :	er (22 62) set from 3753 to 6005 vi
4-22-53. Total Depth Ran 54 joints 5 1/2 100 sacks regular cer regular cement.	h 5018 , 15.50#, J-5 5 linement, 100 sacks Pos	er (22 62°) set from 3753° to 60%5° wit zmix, 所 Gel, followed by 50° sacks
4-22-53. Total Depth Ran 54 joints 5 1/2 100 sacks regular cen regular cement. Held 1000# for 30 min	h 5018 , 15.50#, J-5 5 linement, 100 sacks Pos	er (22 62°) set from 3753° to 60%5° wit zmix, 所 Gel, followed by 50° sacks
4-22-53. Total Depth Ran 54 joints 5 1/2 100 sacks regular center regular cement. Held 1000# for 30 min	h 5018 , 15.50#, J-5 5 linement, 100 sacks Pos	er (22 62°) set from 3753° to 60%5° wit zmix, 所 Gel, followed by 50° sacks
4-22-53. Total Depth Ran 54 joints 5 1/2 100 sacks regular cent regular cement. Held 1000# for 30 min Top of cement by tem	ing points, and all other in the 5018 the 5018 the 5018 the 5052 the 5052 the first second se	er (22 62°) set from 3753° to 60%5° wit zmix, 所 Gel, followed by 50° sacks
4-22-53. Total Depth Ran 54 joints 5 1/2 100 sacks regular cent regular cement. Held 1000# for 30 min Top of cement by tem	ing points, and all other in the 5018 the 5018 the 5018 the 5052 the 5052 the first second se	er (2262) set from 3753 to 6005 with mix, % Gel, followed by 50 sacks
4-22-53. Total Depth Ran 54 joints 5 1/2 100 sacks regular cement. Held 1000# for 30 min Top of cement by tem	ing points, and all other in the 5018 the 5018 the 5018 the 5052 the 5052 the first second se	er (2262) set from 3753 to 6005 with commix, % Gel, followed by 50 sacks 3753
4-22-53. Total Depth Ran 54 joints 5 1/2 100 sacks regular cent regular cent. Held 1000# for 30 min Top of cement by tem Lunderstand that this plan of work company El Paso Net Address Box 997	h 6018 , 15.50%, J-55 linement, 100 sacks Pos mutes. merature survey at k must receive approval in writing	er (2262) set from 3753 to 6005 with commix, % Gel, followed by 50 sacks 3753
H-22-53. Total Depth Ran 54 joints 5 1/2 100 sacks regular cent regular cement. Held 1000# for 30 min Top of cement by tem Lunderstand that this plan of work company El Paso Net	ing points, and all other in the 5018 the 5018 the 5018 the 5052 the 5052 the first second se	er (2262) set from 3753 to 6005 with mix, % Gel, followed by 50 sacks