UNITED STATES DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT

	cices and Reports o			
			5.	Lease Number NM-01614
Type of Well GAS			6.	If Indian, All. o
			7.	Unit Agreement Na
Name of Operator				
BURLINGTON				
RESOURCES OIL	& GAS COMPANY		8.	Well Name & Number
Address & Phone No. of Opera	ator	2700	0	Thompson #11
PO Box 4289, Farmington, NI	.9700	9	30-045-11701	
. Location of Well, Footage, Sec., T, R, M			10.	Field and Pool Blanco MV/Basin
1580'FNL, 790'FEL, Sec.34,	7M	11.	County and State	
				San Juan Co, NM
. CHECK APPROPRIATE BOX TO I	NDICATE NATURE OF 1	OTICE, REPORT	, OTHER	DATA
Type of Submission	Туре	of Action		
X Notice of Intent	Abandonment		e of Pla	
	X Recompletion Plugging Ba	n New C	onstruc	tion Fracturing
Subsequent Report	Casing Repa	ir Water	Shut o	ff
Final Abandonment	Altering Ca	sing Conve	rsion to	o Injection
	X Other - Com	mingie		
It is intended to recomm	<pre>pleted Operations plete the Mesaverde</pre>	formation in	the exi	sting Dakota
It is intended to recomp wellbore according to formations will be co	plete the Mesaverde the attached proc	formation in edure. The Mes	the existance	sting Dakota and Dakota
wellbore according to	ne foregoing is true. Title Reco	edure. The Mes	saverde	and Dakota

District I PO Box 1980, Hubbs, NM 88241-1980 District II PO Drawer DD, Artesia, NM 88211-0719 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION PO Box 2088 Santa Fe, NM 87504-2088

Form C-102 Revised February 21, 1994 Instructions on back Submit to Appropriate District Office

State Lease - 4 Copies Fee Lease - 3 Copies

trict IV Box 2088, S	anta Fe, NM	87504-2 088									AMEN	DED REP	ORT
			1 100	ר א דיז ר	N A	ND ACRI	EAGE DE	DICA	TION PLA	T			
	API Numbe		T	Pool C		THE TIER.			' Pool Nam	e			
30-045		- 1	7231	9/715	599		Blanco M	lesave	rde/Basin	Dakot	a		
' Proper			<u></u>			Property N	ame					Vell Number	ļ
18628			Thompson					11					
			1-Operator Name					_	coacton			ļ	
1453	8	Burlington Resources Oil & Gas Company 10 Surface Location				1	00.	JO GR					
							LOCATION	E I	Feet from the	East/West	line	County	
UL or lot Be	Section	Towaship	Range	- Lot-ld	- -	Feet-from the		ane	790	East		1 .	Juan
H	34	31N	12W	<u> </u>	1-1-	1580 Location I	North	. Eros		Lase		1 5	
						Feet from the	North/South		Feet from the	East/We	t line	County	
UL or iot s	o. Section	Township	Range	_Lot ic	"	rection the							
		pt or lafill	Consolidat	ion Code	" Or	der No.	<u> </u>						
Dedicated					1								
E/320	OWARIE	WILL BE	ASSIGN	ED TO	THI	COMPLET	ON UNTIL	ALL	NTERESTS I	AVE B	EN CO)NSOLID.	ATED
NO AL		OR A	NON-S	TANDA	RD	UNIT HAS E	EEN APPR	OVED					
16						. 	1					TIFICA	
0:	riginal	plat from	m.	- II					true and co	mplese to the	best of the	ny knowledge	and belie
E	nerst V.	chohaw	k 4-24	-66			6		i		٠.	 : }	
				H			,085)		·*	
										lace		. 1	
				 			-		Signature	14414	Ch	ll	
				li			1 1	700	U Daac	y Col	.e		
				- 11				790	Printed N			cvieor	
1				<u>li</u>			TT VI Dec		Title	Latury	Super	ATSOT	
I		1		\\						10%	74-0	/	
1				34	ž.		12		Date				
 				- 		P. Ville			-18SU	RVEY(OR CI	ERTIFIC	CATIO
ı									I hereby	certify that	the well b	ocation show	on this
1				}	i (c			• 1. •	was plot or under	sed from fie r my superv	id notes of ision, and	f acual surve that the same	ja maas tii irus (
I				Ì	\ 				correct	to the best o	f my belia	g.	
1					1				₩				
						The Market Control of the Sales			1.0	Survey	of Dealer	sional Survey	er:
					-) Joinna	11 C. ALIO "OCAL	O. 110102		
									 				
1					li .				i l				
1					li .		•						
					l				11		· · ·		
4		1			Ti -		1		Ceruif	icate Numb	er		

Sundry Notice Submittal

Well: Thompson #11

Unit A, Sec. 34, T31N, R12W

It is intended to recomplete the Mesaverde formation in the existing Dakota wellbore. A rig will MIRU, ND wellhead, NU BOP, and pull production tubing. A CIBP will be set above the Dakota formation at approximately 6848'.

If adequately isolated by cement, the Mesaverde formation will be perforated and fracture stimulated in the following interval: 4115-5058'. If cement remediation operations are necessary, Burlington Resources will contact the appropriate regulatory agency for approval prior to work initiation.

After stimulation flowback and clean out, tubing will be landed at approximately 100' above PBTD. The well will then produce commingled production from the Mesaverde and Dakota formations.

Approved:	Bruce D. Boys Drilling Superintendent	1-12-0 (Date
Approved:	Regulatory ale 5/N	/-/5-01 Date