

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

BK Petroleum CO NMOC

3. Address and Telephone No.

1000 Rio Brazos Ayles NM 87410

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 17 31N 16W

Unit Letter E 2073' FNL 641' FWL

5. Lease Designation and Serial No.

600-3531

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

Mary Rocks Gallup

8. Well Name and No.

19

9. API Well No.

30-045-12154

10. Field and Pool, or Exploratory Area

11. County or Parish, State

San Juan

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ Notice of Intent

☐ Subsequent Report

☒ Final Abandonment Notice

TYPE OF ACTION

☐ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☐ Other

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut-Off

☐ Conversion to Injection

☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

See attachment

FOR RECOR

0 1 2 2

JMS

14. I hereby certify that the foregoing is true and correct.

Signed

(This space for Federal or State office use)

Title

PA Supervisor Reg Energy 9-14-01

Date

Approved by

Conditions of approval, if any:

Title

Date



Key Energy Services, Inc.
Four Corners Division
5651 US Highway 64
P.O. Box 900
Farmington, NM 87499

Phone: 505-327-4935
Fax: 505-327-4962

P&A OPERATION CEMENT SERVICE REPORT

WELL NAME: MANY ROCKS GALLUP UNIT #19

TOTAL PLUGS SET: 2

DATE STARTED: 09-12-01

TOTAL SACKS USED: 80 SX

DATE COMPLETED: 09-13-01

STATE WITNESS: H. VILLENUEVA
TRIBE WITNESS: N/A

MOL AND SPOT RIG AND PLUGGING EQUIPMENT. RU RIG. POH AND LD 65 RODS. RU HOT OILER AND TREAT TBG WITH 40 BBL WAISTE WATER. ND WELLHEAD AND NU BOP, TESTED BOP. POH AND STRAP OUT WITH 1584.70' OF 2 3/8" TBG.

PLUG #1 (GALLUP, PERFORATIONS, 11160' - 1347'), RIH OPEN ENDED WITH TBG TO 1347'. CIRCULATED HOLE AND BALANCED 16 SX CL. B CEMENT + 2% CaCl INSIDE CSG. POH AND WOC. RIH AND TAGGED TOC AT 1160'. PRESSURE TESTED CSG TO 500 PSI AND HELD GOOD FOR 15 MINUTES. POH.

PLUG #2 (SURFACE, 0' - 214'), RIH WITH WIRELINE AND PERFORATED SQUEEZE HOLES AT 214'. POH. ESTABLISHED CIRCULATION TO SURFACE WITH WATER OUT THE BRADON HEAD. MIXED 64 SX CL. B CEMENT TO CIRCULATE GOOD CEMENT TO SURFACE. RD RIG AND DUG CELLAR. CUT OFF WELLHEAD AND INSTALLED DRY HOLE MARKER ON 9-14-01.

A handwritten signature in black ink, appearing to read "N.E. Crawford", is written over the printed name.

NATHAN E. CRAWFORD.
P&A SUPERVISOR

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-045-1215-4
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. 600-3531
7. Lease Name or Unit Agreement Name Merrylocks Gulch
8. Well No. Merrylocks Gulch unit #19
9. Pool name or Wildcat

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	
2. Name of Operator B.K. Petroleum	
3. Address of Operator 1000 Rio Brazos Rd. Aztec, NM 87410 505-334-6178	
4. Well Location Unit Letter <u>E</u> : <u>2073</u> Feet From The <u>NORTH</u> Line and <u>641</u> Feet From The <u>West</u> Line Section <u>17</u> Township <u>31N</u> Range <u>16W</u> NMPM <u>San Juan</u> County	
10. Elevation (Show whether DF, RKB, RT, GR, etc.)	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	OTHER: <input type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Plugged and Abandoned well as per procedures provided with contract.

See Attached Report For Detailed Information.



I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Nathan Crawford TITLE PMA SUPERVISOR DATE 9-14-01
TYPE OR PRINT NAME Nathan Crawford TELEPHONE NO. 327-4961

(This space for State Use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:



Key Energy Services, Inc.

Four Corners Division
5651 US Highway 64
P.O. Box 900
Farmington, NM 87499

Phone: 505-327-4935
Fax: 505-327-4962

**P&A OPERATION
CEMENT SERVICE REPORT**

WELL NAME: MANY ROCKS GALLUP UNIT #19

TOTAL PLUGS SET: 2

DATE STARTED: 09-12-01

TOTAL SACKS USED: 80 SX

DATE COMPLETED: 09-13-01

STATE WITNESS: H. VILLENUEVA

TRIBE WITNESS: N/A

MOL AND SPOT RIG AND PLUGGING EQUIPMENT. RU RIG. POH AND LD 65 RODS. RU HOT OILER AND TREAT TBG WITH 40 BBL WAISTE WATER. ND WELLHEAD AND NU BOP, TESTED BOP. POH AND STRAP OUT WITH 1584.70' OF 2 3/8" TBG.

PLUG #1 (GALLUP, PERFORATIONS, 11160' - 1347'), RIH OPEN ENDED WITH TBG TO 1347'. CIRCULATED HOLE AND BALANCED 16 SX CL. B CEMENT + 2% CaCl INSIDE CSG. POH AND WOC. RIH AND TAGGED TOC AT 1160'. PRESSURE TESTED CSG TO 500 PSI AND HELD GOOD FOR 15 MINUTES. POH.

PLUG #2 (SURFACE, 0' - 214'), RIH WITH WIRELINE AND PERFORATED SQUEEZE HOLES AT 214'. POH. ESTABLISHED CIRCULATION TO SURFACE WITH WATER OUT THE BRADON HEAD. MIXED 64 SX CL. B CEMENT TO CIRCULATE GOOD CEMENT TO SURFACE. RD RIG AND DUG CELLAR. CUT OFF WELLHEAD AND INSTALLED DRY HOLE MARKER ON 9-14-01.

A handwritten signature in black ink, appearing to read "N.E. Crawford".

NATHAN E. CRAWFORD.
P&A SUPERVISOR

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator BK Petroleum Inc
% NMOCO

3. Address and Telephone No.

1000 Rio Grande Rd. Aztec NM 87410 334-6178

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

17-31N-16W 2073/N 2641/W

5. Lease Designation and Serial No.

14-20-600-3531

6. If Indian, Allottee or Tribe Name

Navajo Tribe

7. If Unit or CA, Agreement Designation

8. Well Name and No.

19 Many Rocks

9. API Well No.

3004512154

10. Field and Pool, or Exploratory Area

Many Rocks Gallup

11. County or Parish, State

San Juan, NM

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☒ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other

- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

See attached plugging procedure.

14. I hereby certify that the foregoing is true and correct

Signed NMOCO Contract Plugging Title

Date 8/11/00

(This space for Federal or State office use)

Approved by
Conditions of approval, if any:

Title

Date

8/17/00

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See instruction on Reverse Side

NMOCO

API NUMBER 30-045-12154
OPERATOR NAME BK PETROLEUM INC
PROPERTY NAME MANY ROCKS GALLUP UNIT
SECTION 17 **TOWNSHIP** 31N **RANGE** 16W
FOOTAGE 2073 FNL- 641 FWL UL 'E'

Sur Csg OD 12 3/4" HOLE	8 5/8	XX			XX
SUR CSG TD	96	XX			XX
SUR CSG WT	24	XX	XX	XX	XX
TOP OF CMT	0	XX	XX	XX	XX
ACTUAL	CIRC	XX	XX	XX	XX
CACULATED	40SX	XX	XX	XX	XX
PROD CSG OD 6 3/4 HOLE	4 1/2	XX	XX	XX	XX
PROD CSG TD	1684	XX	XX	XX	XX
PROD CSG WT	9.5	XX	XX	XX	XX
TOP OF CMT	126	XX	XX	XX	XX
FORMATION TOP	ACTUAL		XX	XX	
GALLUP 1445'	CACULATED		XX	XX	
MANCOS 164'	PERF TOP		XX	XX	
	PERF BOTTOM		XX	XX	
	PACKER		XX	XX	
	TYPE OF PLUG		XX	XX	
	CIBP & CMT		XX	XX	
	CMT		XX	XX	

PROPOSED PLUGGING OPERATION

MIRU PU, BOPE, TOOH WITH TUBING & RODS, RIH W/WORK STRING, CIRC CLEAN
 SPOT 14 SX PLUG 1460-1470, WOC TAG, RESPOT IF NEEDED. POOH
 PERF @ 214' PMP 10 SX PLG, 214-160, 6 SX OUT, 4 SX IN, BRING TO SUR IF CIRC
 RIH, PERF @ 146' CIRC CEMENT TO SURFACE, LEAVE CSG FULL, EST 55 SX
 CUT OFF WELL HEAD, INSTALL P&A MARKER, DIG AND CUT ANCHORS.

Close pits according to guidelines: Clean and level location

