

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.

1313600

5. Indicate Type of Lease

STATE ☐

FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

O'SHEA

8. Well No.

1

9. Pool name or Wildcat

basin DAKOTA/BLANCO MV

1. Type of Well:

OIL
WELL ☐

OAS
WELL ☒

OTHER

2. Name of Operator

SNYDER OIL CORPORATION

3. Address of Operator

P.O. BOX 2038, FARMINGTON, NM 87499

4. Well Location

Unit Letter K : 1813 Feet From The SOUTH Line and 1875 Feet From The WEST Line

Section 3 Township 31N Range 13W NMPM SAN JUAN County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

5818' GR

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☒

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

See attached daily reports on Plug and Abandon of O'Shea 1 (DK/MV),
dated 02/26/93 thru 03/02/93.

RECEIVED
MAR 8 1993
OIL CON. DIV.
DIST. 3

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Wayne J. Converse TITLE DISTRICT ENGINEER DATE 3/4/93

TYPE OR PRINT NAME

TELEPHONE NO.

(This space for State Use)

APPROVED BY Shanna Dainhurst TITLE DEPUTY OIL & GAS INSPECTOR, DIST. 3 DATE 4/2/93

CONDITIONS OF APPROVAL, IF ANY:

Daily P&A Report

Rig: AZTEC RIG NO. 107

PKR: 6617

EVE

OPERATIONS PAST 24 HRS

[illegible]

Daily P&A Report

Rig: AZTEC RIG NO. 107

PKR: 6617

EVE

OPERATIONS PAST 24 HRS

[illegible]

SNYDER OIL CORPORATION

Daily P&A Report

HUB: FAR

Date: 02/28/93

Operating Days: 3

Rig: AZTEC RIG NO. 107

Wellname O'SHEA 1

TD: 6900

PBTD: 5748

PKR: 6617

Formation Dakota/Mesaverde

Tbg/Wt/G 1-1/2" 1.5#

EUE

Perfs: 6670-6875 4489-4723

OPERATIONS PAST 24 HRS

START: 7:00 AM STOP: 6:00 PM
TIME

7:00 A	WELL BLOWING TO TANK. CALLED MOTE FOR KILLTRUCK.
	PUMP 30 BBL KILL H ₂ O. TOH W/ 2 7/8" WORKSTRING AND
	CSG SCRAPER. PUMP 10 BBL KILL H ₂ O. TIH W/ 5 1/2" CMT
	RETAINER AND 2 7/8" WORKSTRING TO 6490'. (201 JTS + 10' SUB)
1:00 P	RIG UP WESTERN. TEST CMT RETAINER TO 1000 PSIG.
	STING INTO RETAINER AND ESTAB. RATE INTO OK PERFS
	OF 1 1/2 BPM AT 1000 PSIG. PUMP 187 SX (221 FT ³) OF
	CLASS "B" NEAT CMT. STING OUT OF RETAINER AND
	SPOT 84 SX ON TOP OF RETAINER. : CALC. TOP OF INSIDE
	PLUG AT 5748'. AVE PRESSURE DURING JOB - 900 PSIG.
5:00 P	TOH W/ SETTING TOOL AND 2 7/8" WORKSTRING. LAY
	DOWN 64 JTS 2 7/8" WORKSTRING. TIH W/ 5 1/2" CMT
	RETAINER AND 137 JTS 2 7/8" WORKSTRING PLUS 2-10' SUBS
6:00 P	CLOSE RAMS, LEAVE WELL BLOWING TO TANK. SDEN

SNYDER OIL CORPORATION
Daily P&A Report

HUB: FARDate: 03/01/93Operating Days: 4Rig: AZTEC RIG NO. 107Wellname O'SHEA 1TD: 6900PBTD: 0PKR: 6617Formation Dakota/MesaverdeTbg/Wt/G 1-1/2" 1.5#

EUE

Perfs: 6670-6875 4489-4723

OPERATIONS PAST 24 HRS

START: 7:00 AM STOP: 6:00 PM
TIME

7:00 A	SET 5 1/2" CMT RETAINER AT 4439'. PR TEST RETAINER TO 1000 PSIG. STING INTO RETAINER AND ESTAB. RATE INTO MV PERFS OF 1 1/2 BPM AT 0 PSIG. PUMP TOTAL OF 183 SX (216 FT3) OF CLASS "B" NEAT CMT. STING OUT OF RETAINER AND SPOT 83 SX ON TOP OF RETAINER. CALC TOP OF INSIDE PLUG AT 3706'. AVE PRESSURE - 0 PSIG.
10:00 A	TO H W/ SETTING TOOL AND LAY DOWN 24 JT 2 7/8" WORKSTRING. FILL CSG W/ H2O AND REVERSE OUT TO PIT. PR TEST 5 1/2" CSG TO 1000 PSIG. OK. LAY DOWN ADDITIONAL 50 JTS. STAND OUT REMAINING WORKSTRING. RIG UP SCHLUMBERGER TO PERF 4 SQZ HOLES AT 2100'. TIH W/ 5 1/2" CMT RETAINER AND 2 7/8" WORKSTRING TO 2050'. (63 JTS + 2 (10' SUBS)). SET RETAINER AT 2050'. PUMPED 30 BBL H2O TO ESTAB. CIRC. UNABLE TO CIRC. OUT BRADENHEAD. PUMPED 110 SX (196 FT3) 65/35 POZ TAILED WITH 50 SX (59 FT3) CLASS "B" NEAT. LEFT 6SX "B" NEAT ON TOP OF CMT RETAINER. CALC TOP AT 1997' INSIDE CSG. AVE PRES. 500 PSIG.

SNYDER OIL CORPORATION

Daily P&A Report

HUB: FARDate: 03/01/93Operating Days: 4Rig: AZTEC RIG NO. 107Wellname O'SHEA 1TD: 6900PBDT: PKR: 6617Formation Dakota/MesaverdeTbg/Wt/G 1-1/2" 1.5#

EUE

Perfs: 6670-6875 4489-4723

OPERATIONS PAST 24 HRS

START: 7:00 AM STOP: 6:00 PM
TIME

2:00P	TO H W/ SETTING TOOL AND LAY DOWN 19 JTS 2 7/8" WORKSTRING.
	STAND OUT REMAINING WORKSTRING (22 STANDS). RIG UP
	SCHLUMBERGER TO PERF 4 SQZ HOLES AT 1503. TIH W/
	5 1/2 CMT RETAINER AND 2 7/8" WORKSTRING TO 1453'
	(44 JTS + 2 (10' SUBS)). SET RETAINER AT 1453'. PUMPED
	27 BBL H2O TO ESTAB. CIRC. OUT BRADENHEAD. UNABLE
	TO CIRC. PUMPED 190 SX (338 FT3) 65/35 POZ. NO CIRC.
	41 SX (48 FT3) CLASS "B" NEAT. NO CIRC. LEFT 6 SX "B"
	NEAT ON TOP OF CMT RETAINER. CALC CMT TOP INSIDE
	CSG AT 1400.'
4:00P	TO H W/ SETTING TOOL AND LAY DOWN REMAINING 2 7/8" WORKSTRING
	RIG UP SCHLUMBERGER TO PERF 4 SQZ HOLES AT 745'
	HOOKUP WESTERN TO CSG VALVE. PUMPED 190 SX (338 FT3)
	65/35 POZ. NO CIRC TO BRADENHEAD. CMT AT SURFACE.
	HOOKUP WESTERN TO BRADENHEAD. PUMPED 56 SX (66 FT3)
	CLASS "B" NEAT. FLUSHED LINES TO PIT. LEFT BOP AN
	WELLHEAD. SDFN.

Daily P&A Report

Rig: AZTEC RIG NO. 107

PKR: 6617

EUE

Perfs: 6670-6875 4489-4723

OPERATIONS PAST 24 HRS

START: 7:00 AM STOP: 12:30 PM
TIME

[illegible]