Form	9-821 8
(Feb	. 1951)

	•	

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land	Offic	:	
Lease	No.	mt-0271.	L
Unit .	- -		

NOTICE OF INTENTION TO DRILL		X	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLA		_	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER			SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OF			SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR A			SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR AL	rer casing		SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON W	ELL		
(INDICATE	ABOVE BY CHECK MAR	K NAT	TURE OF REPORT, NOTICE, OR OTHER DATA)
Vell No ziliett #1 is locate	d 1450 ft. fror	 }m	November 25,, 196 November 25,, 196 November 25,, 196 November 25,, 196
EZ/4 Set. 20	318		nge) (Meridian)
(% Sec. and Sec. No.)	(Twp.)	/100	New Mexico
Valorignated (Field)		y or Su	ibdivision) (State or Territory)
To set 8-5/8" 24# 1	objective sands; show s ing points, and all	sizes, v l othe	is 5802 ft. S OF WORK weights, and lengths of proposed casings; indicate mudding jobs, cemur important proposed work) w/ 200 sus coment.
To set 8-5/8" 240 H 5-1/2" 15.50 sms. thru D. Will perfora	objective sands; show s ing points, and all	nizes, valorite de la como de la	weights, and lengths of proposed casings; indicate mudding jobs, cemur important proposed work) w/ 200 sus cament. 6300° w/ 200 sus cament. 6300° w/ 200 sus cament. 6300° the Hess Verde.
To set 8-5/8" 240 H 5-1/2" 15.50 sms. thru D. Will perfora	objective sands; show a ing points, and all or eacing @ 3 Herr enoing V. tool to prote and fracts	nizes, valorite de la como de la	weights, and lengths of proposed casings; indicate mudding jobs, cemur important proposed work) w/ 200 sus cament. 6300° w/ 200 sus cament. 6300° w/ 200 sus cament. 6300° the Hess Verde.
To set 8-5/8" 240 H 5-1/2" 15.50 sms. thru D. Will perfers T.D. expects	objective sands; show a ing points, and all ov casing @ 3 low casing @ 3 low casing V. tool to partie and fracts d to be 6300	sizes, to the local state of the	weights, and lengths of proposed casings; indicate mudding jobs, cemur important proposed work) w/ 200 sus cament. 6300° w/ 200 sus cament. 6300° w/ 200 sus cament. 6300° the Hess Verde.
To set 8-5/8" 240 H 5-1/2" 15.50 sms. thru D. Will perfers T.D. expects	objective sands; show a ing points, and all our cacing @ 3 J New cacing @ 3 V. tool to protect and fractual to be 6300	sizes, to the local state of the	weights, and lengths of proposed casings; indicate mudding jobs, cemur important proposed work) w/ 200 sus cement. 6300' w/ 200 sus on btm. and 200 let the Hesa Verde. the Bakota.
To set 8-5/8" 240 H 5-1/2" 15.50 ems. thru B. Will perfere T.D. expecte	objective sands; show a ing points, and all our cacing G 3 J New cacing G 3 V. tool to protect to be 6300° to be 6300° cmust receive approval	izes, 1 other	weights, and lengths of proposed casings; indicate mudding jobs, cemer important proposed work) w/ 300 see cement. 6300' w/ 209 see on btm. and 200 let the Hean Verde. the Bakota. Off. S. 196. Off. S. 196.
To set 8-5/8" 200 H 5-1/2" 15.36 sms. thru D. Will perfers T.D. superte	objective sands; show a ing points, and all our cacing G 3 J New cacing G 3 V. tool to protect to be 6300° to be 6300° cmust receive approval	izes, 1 other	weights, and lengths of proposed casings; indicate mudding jobs, cemur important proposed work) w/ 200 sus cement. 6300' w/ 200 sus on btm. and 200 let the Hesa Verde. the Bakota.

NUMBER OF COPIE		
DIS	TRIBUTION	
BANTA FR	`- <u>-</u> _	
FILE		
U.S. 7.5.		
LAND OFFICE		
TRANSPORTER	OIL	
	GAS	
PROBATION OFFI	CE	
OPERATOR		į

NEW MEXICO OIL CONSERVATION COMMISSION

FORM C-128 Revised 5/1/57

E .7.5. ND OFFICE			CATION AND A			
ANSPORTER GAS		SEE INSTRUC	TIONS FOR COMPLE	TING THIS	FORM ON THE REVI	EKSE SIDE
ERATOR						
			SECTION A			Well No.
perator ADOBE (OIL COMPANY		1 —	liot		1
nit Letter	Section	Township	Range 13 WE	1	County SAN JUAN	
G ctual Footage L	ocation of Well:	31 NORTH	17 44		2141 00141	
1450	feet from the	NORTH I	line and 1450	feet	from the EAST	line
ound Level Ele	v. Producing	Formation	Pool			Dedicated Acreage: 320 Acres
5802.0	D	akota	LO plat Dated 9	Undes	15),	<u> </u>
who has the ri another. (65- If the answer: wise? YES	ight to drill into a -3-29 (e) NMSA i to question one is NO	nd to produce from 1935 Comp.) s ''no,'' have the in If answer is ''yes	any pool and to appro- nterests of all the own- ," Type of Consolidat	ers been con	nsolidated by commun	("Owner" means the person means the person imself or for himself and itization agreement or other-
If the answer	to question two is	s "no," list all the	owners and their resp	ective inter	ests below:	
wner			Lar	nd Descripti	on	
		SECTION	В			CERTIFICATION
				. ———— —— /450	in SECT plete to belief. Name Vic Positio Add Compan	obe Oil Company
				NS 0 198	shown plotted surveys superviand con and be	y certify that the well location on the plat in SECTION B was from field notes of actual s made by me or under my ision, and that the same is true trect to the best of my knowled lief. urveyed November 1960 ered Professional Engineer Land Surveyor

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.