

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES
LOCATE WELL **6442** **Company**

standard Nickles

Well **1820** in **1820** **North** **Pool**, **1820** **East** County.
Well is **21** feet from line and feet from line
of Section **11-29-64** State Land the Oil and Gas Lease No. is **18-17-61**
Drilling Commenced **Pico Drilling Company** Drilling was Completed, 19
Name of Drilling Contractor **North Steel Bldg. Brookhridge, Texas**
Address **3732**
Elevation above sea level at Top of Tubing Head The information given is to be kept confidential until, 19

6442 6443 OIL SANDS OR ZONES

No. 1, from to No. 4, from to
No. 2, from to No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
4-3/8	21	NEW	4732	4732	4462-60	oil saving
4-1/2	18.56	NEW			4515-25	
					4574-6400	


MUDDING AND CEMENTING RECORD

SIZE OF HOLE	WEIGHT OF CEMENT	WHERE SET	NO. SACKS OF CEMENT	PUMP & METHOD USED	MUD GRAVITY	QTY. OF MUD USED
11-1/4 7-7/8	60-60 4-1/2	6723	1200 200 on hole 200 thru IV	Pump & Plug Pump & Plug		

RECORD OF PRODUCTION AND STIMULATION

Acidised with 400 gallons HCl. Fraced with 114,000 gallons water and 60,000 sand.
(Record the Process used, No. of Qts. or Gals. used, interval treated or mol.)

Absolute open flow 4302 MCF/day
Result of Production Stimulation
Depth Cleaned Out



RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 6730 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing, 19.

OIL WELL: The production during the first 24 hours was barrels of liquid of which % was was oil; % was emulsion; % water; and % was sediment. A.P.I. Gravity.

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy.	T. Devonian.	T. Ojo Alamo.
T. Salt.	T. Silurian.	T. Kirtland-Fruitland.
B. Salt.	T. Montoya.	T. Farmington. 6162 6437
T. Yates.	T. Simpson.	T. Pictured Cliffs. 1838
T. 7 Rivers.	T. McKee.	T. Menefee. 3000
T. Queen.	T. Ellenburger.	T. Point Lookout. 4236
T. Grayburg.	T. Gr. Wash.	T. Mancos. 4337
T. San Andres.	T. Granite.	T. Dakota. 6448
T. Glorieta.	T.	T. Morrison.
T. Drinkard.	T.	T. Penn.
T. Tubbs.	T.	T. Gallup. 1386
T. Abo.	T.	T. Greenhorn. 6333
T. Penn.	T.	T.
T. Miss.	T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	270		Surface				
270	3040		Shale				
3040	3915		Shale & sand				
3915	4436		Shale				
4436	4700		Shale & sand				
4700	6430		Shale				
6430	6462		Shale & sand				
6462	6730	268	sand				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator. Adobe Oil Company

Name. A. T. Sindel

A. T. Sindel

2-14-48

Address

1223 Petroleum Life Bldg - Midland, Tex.

Position

Title

Vice President