
Form 9-881 a (Feb. 1951)



## (SUBMIT IN TRIPLICATE)

## **UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY**

Land Offic	Santa Fe
Lease No.	EV -078463
Unit	

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO	DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF.	*
NOTICE OF INTENTION TO	CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO	TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING.	
NOTICE OF INTENTION TO	RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.	
NOTICE OF INTENTION TO	SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO	PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO	ABANDON WELL		
	(INDICATE ABOVE BY CHECK MARK	NATURE OF REPORT, NOTICE, OR OTHER DATA)	
Les 468.00		Nevember 35	190
Well No. 3-34	is located	$\begin{bmatrix} N \\ S \end{bmatrix} \text{ line and } \begin{bmatrix} S \\ S \end{bmatrix} \text{ line of seed } \begin{bmatrix} E \\ S \end{bmatrix}$	c. 34
NE 34	31N 1	3W N. M. P. M.	
Sec. and Sec. No.)	(Twp.)	(Range) (Meridian)	
(Field)	(County o	r Subdivision) (State or Territory)	
(State names of and expected	d depths to objective sands; show size	LS OF WORK	jobs, cemer
(State names of and expected	d depths to objective sands; show size		jobs, cemes
0/18/66 villed 13-3/4" be emented with 130	d depths to objective sands; show size ing points, and all of	s, weights, and lengths of proposed casings, indicate mudding	3.
o/18/66  rilled 13-3/4** he emented with 130 p to 600 - held for the first this place is the second control of the first this place.	d depths to objective sands; show size ing points, and all of the to 195°. Ram 9-3 s x 2% CaCl, comes or 15 min with OK.	ther important proposed work)  /8°, 326 H-46 surface casing to 19  the Circulated to surface [SIL CON CON OIST. 3]  writing by the Geological Survey before operations may be com-	3.
rilled 13-3/4" he emented with 130 to 600 - held for the following the f	d depths to objective sands; show size ing points, and all of the to 195°. Ram 9-3° ax 2% CaCl, comes or 15 min with OK.	ther important proposed work)  /8°, 326 H-46 surface casing to 19  the Circulated to surface [SIL CON CON OIST. 3]  writing by the Geological Survey before operations may be com-	3.
o/18/66  rilled 13-3/4" he emented with 130 p to 600 - held for the first this place. The content of the conten	d depths to objective sands; show size ing points, and all of the to 195°. Ram 9-3° ax 2% CaCl, comes or 15 min with OK.	ther important proposed work)  /8°, 326 H-46 surface casing to 19  the Circulated to surface [SIL CON CON OIST. 3]  writing by the Geological Survey before operations may be com-	31.
o/18/66  rilled 13-3/4" he emented with 130 p to 600 - held for the first things the first things the first things to 600 - held for the first things	an of work must receive approval in v	ther important proposed work)  /8°, 326 H-46 surface casing to 19  the Circulated to surface [SIL CON CON OIST. 3]  writing by the Geological Survey before operations may be com-	3.
l understand that this ple  Company 112 Town  1700 Bran	an of work must receive approval in v	ther important proposed work)  /8°, 326 H-46 surface casing to 19  the Circulated to surface [SIL CON CON OIST. 3]  writing by the Geological Survey before operations may be com-	3.
0/18/60  rilled 13-3/4" he emented with 130 p to 600 - held for a first things to 1 and 1	an of work must receive approval in v	ther important proposed work)  /8°, 326 H-46 surface casing to 19  the Circulated to surface [SIL CON CON OIST. 3]  writing by the Geological Survey before operations may be com-	31.