


(SUBMIT IN TRIPLICATE)

Indian Agency Ute Mountain Tribal

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Allottee 14-20-604-121  
Lease No.



SUNDRY NOTICES AND REPORTS ON WELLS

RECEIVED

NOTICE OF INTENTION TO DRILL	RECEIVED	SUBSEQUENT REPORT OF WATER SHUT-OFF	JAN 27 1960
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	JAN 29 1960	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	FARMINGTON, NEW MEXICO
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	X
NOTICE OF INTENTION TO ABANDON WELL	U. S. GEOLOGICAL SURVEY DURANGO, COLO.		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Ute Mountain Tribal #7

Farmington, New Mexico January 26, 1960


Well No. 3 is located 2310 ft. from N line and 1900 ft. from W line of sec. 28  
NW/4 of Section 28 T-31-N R-14-W N.M.P.M.  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Verde Gallup San Juan New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5533 ft. (RDS)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drilled well to total depth of 3840'. Set 4" liner 3593-3826 with Baker duplex shoe on bottom and reversed Texas pattern guide shoe on top and slotted 3717-3826. Landed tubing at 3808'. Ran rods and pump. After recovering load oil declined to low rate, sand oil fracked with 38,300 gallons oil and 40,000 pounds sand. Breakdown pressure 1200 psi to 900 psi, average treating pressure 1300 psi, injection rate 50 barrels per minute. Landed tubing at 3805'. Completed as pumping oil well Verde Gallup Field January 21, 1960. Potential test January 21, 1960 pumped 16 barrels oil per day and 1 barrel water per day with 15-48" strokes per minute with 1-1/2" pump.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations on the CON. COM.

Company Pan American Petroleum Corporation

Address Box 487  
Farmington, New Mexico  
Attn: L. O. Speer, Jr.

ORIGINAL SIGNED BY  
R. M. Bauer, Jr.

By Area Engineer  
Title

