

Ute 2-29/13

(SUBMIT IN TRIPLICATE)

Indian Agency Ute MountainUNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee _____

Lease No. 11-20-60-122

Sec. 29

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	X
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Aug. 3, 1960

Ute Mtn. Tribal 2-29
Well No. 13 is located 1650 ft. from S line and 1280 ft. from W line of sec. 29

NE, SE, Sec. 29 31N 11W R1P4
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Verde Gallup San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5523 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

The Ute Mtn. Tribal 2-29/13 was spudded 7-1-60. 8 5/8" casing was cemented at 136' with 100 sacks and 35 sacks were circulated. After WOC 24 hrs. the casing was tested satisfactorily with 1000 PSI for 30 min. 4 1/2" casing was set at 4490', with 75 sacks around shoe and 125 sacks thru DV tool at 3438'. After WOC 30 hrs. the casing was tested satisfactorily with 1500 PSI for 30 minutes. A 3 1/2" slotted liner was set at 4469' - 4690' and the open hole was fraced with 45,000 gal. crude and 25,000 pounds sand with 350 pounds mothballs at 2100 PSI and 41.6 BPM. The well is presently producing lead oil.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Standard Oil Co. of TexasAddress Box 1581Farmington, New MexicoBy C. M. SmithTitle Field Foreman