


(SUBMIT IN TRIPLICATE)

Indian Agency _____

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Ute Mountain Tribal

Allottee _____

Lease No. 14-20-60-123

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	FEB 4 1960
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	U. S. GEOLOGICAL SURVEY
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	DURANGO, COLO.
NOTICE OF INTENTION TO ABANDON WELL	X		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Ute Mountain Tribal "G"

Farmington, New Mexico-February 3, 1960

Well No. 6 is located 1900 ft. from N line and 2310 ft. from W line of sec. 26N¹/₄ of Section 26
(1/4 Sec. and Sec. No.)T-31N
(Twp.)R-15W
(Range)N.M.P.M.
(Meridian)Verde Gallup
(Field)San Juan
(County or Subdivision)New Mexico
(State or Territory)The elevation of the derrick floor above sea level is 5549 ft. (ROD)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to plug and abandon Ute Mountain Tribal "G" Well No. 6 as follows, as a result of not encountering oil or gas in commercial quantities:

1. Pull rods, tubing and 4" liner.
2. Spot 50 sacks cement plug on bottom (approximately 300' cement fill-up inside casing) and squeeze with minimum pressure to leave open-hole section filled with cement and anchor 5-1/2" casing.
3. Fill hole with fluid.
4. Pump 50 sacks of cement down 5-1/2" - 6-5/8" annulus (approximately 205' of fill to anchor pipe).
5. Remove well head and surface equipment.
6. Spot five sacks of cement for surface plug (0-40') and erect dry hole marker.
7. Plug and abandonment by above procedure proposed to permit possible re-entry for future secondary recovery purposes. (over)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Pan American Petroleum CorporationAddress P.O. Box 487Farmington, New MexicoAttn: L. D. Speer, Jr.

ORIGINAL SIGNED BY

By R. M. Bauer, Jr.Title Area Engineer

Details of Work Continued:

8. Verbal approval for above received from Mr. Long to Mr. Bauer
on February 1, 1960

