MULTI-POINT BACK PRESSURE TEST FOR GAS WELLS

Pool	Undesign	eted De	kota	Fo	rmation	<u> </u>	ekote		County		Juan
Init	ial		Annua	.1		Spec	ial		Date of	Test	9-12-60
Compa	any Delhi	-Terlos	011	Corpor	etion I	Lease	Dolhi-	Suction	Wel	1 No	<u> </u>
Unit	WE/4 S	Sec	Twp	31-5	Rge	. 11-#	Purc	haser			
	ng_ 5-1/3 **W							7350-	-10	7173 To	
Tubi	ng 2-8/8" W	it. 4.7 1	 ! I.	D. 1.9	 S Set	at 🌃	405 Pe	rf. Open	-11 gaded		
											ss. 13
										_	
Producing Thru: Casing				Single-Brace Reserv			gle-Brade	enhead-G. G. or G.O. Dual			
Date	or complet	10n:	****		Packer			Reserve	oir Temp.		<u> </u>
						OBSERV	ED DATA				
Teste	ed Through	(Prove	r) (C	hoke)	(Meter)				Type Tap	S	
			ow Da				Tubing		Casing D	ata 💮	
No.	(Prover) (Line)	(Chok		Press.	Diff.		Press.	Temp.	Press.	1	Duration of Flow
	Size	Siz	е	psig	h _w	°F.	psig	°F.	psig	[⊃] F•	Hr.
SI				338		85*	3465	45*	2418		7 Days
$\frac{1}{2}$.		3/4		396		49.	338	49-	718		3 Nours
<u>~</u> . 3.		†	-					<u> </u>			
4.											
5. 1		Ĺ									
					T.	T.OW CAT	CULATIONS	5			
				Pre	ressure Flow				Compress. R		Rate of Flow
No.				— I	l	Factor		Factor	ractor		Q-MCFPD @ 15.025 psia
	(24-Hour)		$\sqrt{h_{\mathbf{w}}p_{\mathbf{f}}}$		psia		t				
1. 2.	12.365				148	0.976	688	0.9608	1.0	49	6671
2 . 3.											
) c				_+_							· · · · · · · · · · · · · · · · · · ·
ų. 5.											
	quid Hydro y of Liqui		carbor			cf/bbldeg.	alcu atic	Speci Speci	fic Gravi fic Gravi	tv Flow	ing Fluid
10 ol	P _w Pt (psia)	Pt ²	Fc	1	$(F_cQ)^2$	(F.	Q) ² -e ^{-s})	P _w 2	$P_c^2 - P_w^2$	Ca:	P _W P _C
ļ.						4					
~• +		 	+							 	
1. 2. 3.										 	
5.											
Absol COMPA ADDRE	ute Porent NY SS	* ************************************	2 142	a Lati	STATE COLUMN						
AGENT	and TITLE	. نف محم		MEY =	Dist. 1	and squar	A	B.			
VITNE	SOFT			ne Com	a series		7				
COMPA	INI				, - , , , , , , , , , , , , , , , , , ,	R EM	ARKS				

SEP 27 1960 OIL CON. COM. DIST. 3

INSTRUCTIONS

This form is to be used for reporting multi-point back pressure tests on gas wells in the State, except those on which special orders are applicable. Three copies of this form and the back pressure curve shall be filed with the Commission at Box 871, Santa Fe.

The log log paper used for plotting the back pressure curve shall be of at least three inch cycles.

NOMENCLATURE

- Q = Actual rate of flow at end of flow period at W. H. working pressure ($P_{\rm W}$). MCF/da. @ 15.025 psia and 60° F.
- P_c 72 hour wellhead shut-in casing (or tubing) pressure whichever is greater. psia
- PwT Static wellhead working pressure as determined at the end of flow period. (Casing if flowing thru tubing, tubing if flowing thru casing.) psia
- Pt Flowing wellhead pressure (tubing if flowing through tubing, casing if flowing through casing.) psia
- Pf Meter pressure, psia.
- hw Differential meter pressure, inches water.
- $F_g = Gravity$ correction factor.
- F_t Flowing temperature correction factor.
- Fpv Supercompressability factor.
- n _ Slope of back pressure curve.
- Note: If $P_{\mathbf{W}}$ cannot be taken because of manner of completion or condition of well, then $P_{\mathbf{W}}$ must be calculated by adding the pressure drop due to friction within the flow string to $P_{\mathbf{t}}$.

STATE	OF NEW #	EXICO		
OIL CONSER	VATION CO	MMISSI	011	
AZ: C	DISTRICT (OFFICE		1
NUMBER OF COPIE	S RECEIVED		,	
Ď	st i 📆	N		1
SANTA FE		/	1	7
FILE		7	i	
iŧ \$.⊡ . \$.				
L D OFFICE			Γ.	2
TRANSPORTI R	OIL GAS		ļ <u>.</u>	1
PROXATION OFFICE				1
CPEDATOR				7