March 18, 196[illegible] 045

F. Loc. 1550/S; 1850/E Elev. 6114 GL Spd. 3-22-69 Comp. # TD PB

Casing S. [illegible] @ [illegible] W. 50 Sx. Int. @ W Sx. Pr. [illegible] @ [illegible] W [illegible] Sx. T. 1 @ [illegible] T R

Csg.Perf. 2646-82 Prod. Stim. [illegible]

846 Acf

I.P. 220 ~~BO/D~~ MCF/D After 3 Hrs. SICP 698 PSI After Days GOR Grav. 1st Del. 1-14-69 s

TOPS		NITD X	Well Log	TEST DATA
Kirtland		C-103 ✓	Plat X	
Fruitland		C-104 ✓ 6-2-69	Electric Log ✓	
Pictured Cliffs	2646	1-13-70 2°	C-122 ✓	
Cliff House		Ditr 1-15-70	Dfa 11-16-69	
Menefee		Datr 1-15-70	Doc	
Point Lookout				
Mancos				
Gallup				
Sanostee				
Greenhorn				
Dakota				
Morrison				
Entrada				
		Aztec ok B		

R-3856

NWU 3-174

156.64

Schd.	PC	Q	PW	PD	D	Ref.No.
12/18/69	710	229	360	568	124	
12/10/70	470	104	249	376	57	
5/26/71	475	83	233	380	44	
7/18/72	414	75	219	331	42	
5/2/73	430	40	174	344	19	
7/18/75	346	45	146	277	22	
5/17/77	312	38	137	250	19	
8/16/79	282	31	108	226	15	
2/17/83	325	3	211	260	2	
6/5/85	[illegible]					
8/26/87	[illegible]					

Pool Aztec PC Co. San Juan T. [illegible] R. 12[illegible] U. [illegible] Oper. Southland Royalty Co Lse. Frazier No. [illegible]