

Form 9-331
(May 1963)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

M00-C-1420-0626

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Ute Mtn. Ute

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Foxtail

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Wildcat

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 35, T31N, R14W

12. COUNTY OR PARISH

San Juan

13. STATE

N. M.

SUNDRY NOTICES AND REPORTS ON WELLS
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Thomas A. Dugan

3. ADDRESS OF OPERATOR
Box 234, Farmington, N. M. 87401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface

790' fs1 790' fw1

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

5628' Gr.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING


ABANDONMENT*

Completion

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

7/31/70 PBTD 1275'. Ran Gamma Ray Correlation log, perforate 2 jets/ft. 1186' - 1204'. Dowell fractured Pictured Cliffs with 980 HP, 20,000# 10-20' sd, 750 bbls. water spearhead fracture with 300 gal. 15% HCl. Breakdown - 1400 psi, I.F. 1200 psi, Min. 800 psi. Ave. 1000 psi, Final 800 psi. Ave. I.R. 40 B/M. Instant shut in 300 psi, 10 min. shut in 200 psi.



8/1/70 PBTD 1275' - well on vacuum. Cleaned out 55' of sand with sand pump. Ran 39 jts. 2 3/8" O.D., 4.7#, J-55, 8R EUE tubing set at 1221' R.K.B. T.E. 1216.77'. Swabbed for 3 hrs. with Drake Well Servicing Company rig.

18. I hereby certify that the foregoing is true and correct

SIGNED Original signed by T. A. Dugan

TITLE Engineer

DATE 9/4/70

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

DATE _____