

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000**SUNDRY NOTICES AND REPORTS ON WELLS**
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*5. Lease Serial No.
NMSF - 078040

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other8. Well Name and No.
MUDGE A 40

2. Name of Operator

BP AMERICA PRODUCTION COMPANY

Contact:

MARY CORLEY

E-Mail: corleym1@bp.com

9. API Well No.

30-045-21023

3a. Address

P.O. BOX 3092
HOUSTON, TX 77253

3b. Phone No. (include area code)

Ph: 281.366.4491

Fx: 281.366.0700

10. Field and Pool, or Exploratory

BLANCO PICTURED CLIFFS

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 10 T31N R11W NWSW 1670FSL 800FWL

11. County or Parish, and State

SAN JUAN COUNTY, NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

BP America respectfully request permission to perform bradenhead repair on the subject well as per the attached procedure.

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #13949 verified by the BLM Well Information System
For BP AMERICA PRODUCTION COMPANY, sent to the Farmington
Committed to AFMSS for processing by Matthew Halbert on 09/13/2002 ()

Name (Printed/Typed) MARY CORLEY

Title AUTHORIZED REPRESENTATIVE

Signature

(Electronic Submission)

Date 09/03/2002

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

Original Signed: Stephen Mason

Title

Date

9/13/02

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL **

NMOC

Mudge A 40
Bradenhead Repair PROCEDURE:

1. Check anchors. Check and record tubing, casing, and Bradenhead pressures. Tag and flag valves and bleed flow line pressure to zero. MIRU workover rig.
2. Blow down wellhead. *If necessary, kill with 2% KCl water.*
3. ND wellhead. NU BOPs and diversion spool with 3" outlets and 3" pipe to the blow tank. Pressure test BOPs to 500 psi.
4. Run 2-7/8" scraper to 1350'.
5. RIH and set CIBP at 1300'. Test 2-7/8" casing to 500 psi.
6. RU Schlumberger and run CBL/VDL/GR/CCI from 1300' to surface.
7. RU perforating guns. Perforations to be determined from CBL log.
8. Attempt to circulate or establish injection rate.
9. Mix and pump cement as per design. WOC.
10. Clean out cement to top of bridge plug. Test casing to 1000 psi.
11. RIH and drill out 2-7/8" CIBP.
12. Cleanout fill to PBTD at 2862'.
13. ND BOPs. NU WH. Notify pumper that well is ready to be returned to production. Swab in well with sandline and flow well for several hours on a choke to ensure well is unloaded and ready to produce before turning over to pumper to return to production.

NMOCD

Revisions to Operator-Submitted EC Data for Sundry Notice #13949


	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	OTHER NOI	CSG NOI
Lease:	NMSF - 078040	NMSF078040
Agreement:		
Operator:	BP AMERICA PRODUCTION COMPANY P.O. BOX 3092 HOUSTON, TX 77253 Ph: 281.366.4491 Fx: 281.366.0700	BP AMERICA PRODUCTION CO P. O. BOX 3092 HOUSTON, TX 77253 Ph: 281-366-4491
Admin Contact:	MARY CORLEY AUTHORIZED REPRESENTATIVE E-Mail: corleym1@bp.com Ph: 281.366.4491 Fx: 281.366.0700	MARY CORLEY AUTHORIZED REPRESENTATIVE E-Mail: corleym1@bp.com Ph: 281.366.4491 Fx: 281.366.0700
Tech Contact:		
Location:		
State:	NM	NM
County:	SAN JUAN	SAN JUAN
Field/Pool:	BLANCO PICTURED CLIFFS	BLANCO
Well/Facility:	MUDGE A 40 Sec 10 T31N R11W NWSW 1670FSL 800FWL	MUDGE /A/ 40 Sec 10 T31N R11W NWSW 1670FSL 0800FWL 36.91007 N Lat, 107.98341 W Lon

RM000

Mudge A 40
Sec 10, T31N, R11W
API #: 30-04521023

History:
-Spud 9/28/1972
-1992 Bradenhead repair

PC perforations
2716 - 2728', 2 SPF, frac'd w/ 32,000# sand
2738 - 2750', 2 SPF, frac'd w/ 32,000# sand



Notes: Diagram made from Dwights and field data
Ojo Alamo: 975' - 1055'

updated: 08/12/02 mnp

NMOC