State of New Mexico

PO Box 1980, Hobbs, NM

Energy, Minerals and Natural Resources Department APPROPRIATE

District II

AND 1 COPY TO 1000 Rio Brazos Rd, Azzec, NM 87410

SUBMIT 1 COPY TO

OIL CONSERVATION DIVISION & GAS INSPECTORINTA FE OFFICE

P.O. Box 2088 Santa Fe, New Mexico 87504-2088[F][[] 1395

PIT REMEDIATION AND CLOSURE REPORT

		1. Arrowed	
∜	lliams Field Service	001 304 0779	
Address: 295 Chipeta Way Salt Lake City, UT 84158 Facility Or: ALLISON # 18 Well Name			
B Location: Unit or Qtr/Qtr Sec NW NE Sec 25 T32N R7W County SAN JUAN Pit Type: Separator Dehydrator_X Other_			
		X Other	
Pit Location: (Attach diagram)		ength 29 , width 26 , depth $3\frac{1}{2}$ ad χ , other	
		ence: 48	
		erence: <u>40</u> Degrees <u>X</u> East North of West South <u>X</u>	
Depth To Ground Water: (Vertical distance from contaminants to seasonal high water elevation of ground water)		Less than 50 feet (20 points) 50 feet to 99 feet (10 points) Greater than 100 feet (0 Points)	
Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources)		PEGETVE No (20 points) No (0 points) o ONL COM. DIV. DIV.	
Distance To Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)		Less than 200 feet (20 points) 200 feet to 1000 feet (10 points) Greater than 1000 feet (0 points)	
		RANKING SCORE (TOTAL POINTS):	

Data Dandistica Standada		
Date Remediation Started: Dated Completed: Paged Page		
(Check all appropriate sections)		
sections		
	Other	
Domodiaki *ki.		
Remediation Locatio (ie. landfarmed onsite, name and location of		
offsite facility)		
General Description Of Remedial Action:		
Site Assessment in accordance with OCD and BLM guidance document.		
Ground Water Encountered: No X Yes Depth		
Final Pit: Closure Sampling:	Sample location Standard Triangle from pit floor.	
(if multiple samples, attach sample results		
and diagram of sample locations and depths)	Sample depth 6-18" DUE TO SANDSTONE BEDROCK - IMPENETRABLE	
	Sample date 7-12-94 Sample time 1030	
	Sample Results	
	Benzene(ppm)	
	Total BTEX(ppm)	
	Field headspace(ppm) 21	
	TPH <u>600</u>	
Ground Water Sample: Yes NoX (If yes, attach sample results)		
I HEREBY CERTIFY THE	AT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST BELIEF	
DATE 9-6-94		
SIGNATURE AND TITLE Lee Bauerle, Environmental Spec.		



ORGANIC ANALYSIS REPORT

AMERICAN Client: Mile High Environmental WEST Date Sampled: July 12, 1994 ANALYTICAL Date Received: July 21, 1994

LABORATORIES Set Description: Fifty-Five Solid Samples

Set Identification #: 19194 Contact: Mark Harvey

Received By: Elona Hayward

Analysis Requested:

Total Recoverable Petroleum

Hydrocarbons

Method Ref. Number: EPA 418.1 (Extraction

Infrared Absorption)

Date Extracted: July 28, 1994

463 West 3600 South Salt Lake City, Utah

84115

Lab Sample ID. Number: 19194-07

Field Sample ID. Number: Vulnerable Area Pits (IGF)

Date Analyzed: July 29, 1994

Allison #18 86711

Analytical Results Units = mg/kg (ppm)

Total Recoverable Petroleum Hydrocarbons

(801) 263-8686

Fax (801) 263-8687

Compound:

Detection Amount Detected:

Total Recoverable Petroleum Hydrocarbons

10.

Limit:

600.

< Value = None detected above the specified method detection limit, or a value that reflects a reasonable limit due to interferences.

Released by:

Report Date 8/4/94

1 of 1