Form 9-331 (May 1963)

## UNITED STATES SUBMIT INTERIOR (Other interior verse side)

GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE\*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.
EASE DESIGNATION AND SERIAL NO.

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

υ.	LLA	813	DES	IG N A	TION	AND	SEI
Ν	IM	0.	420	17			

DATE

CHINIDDA	NOTICES	AND	REPORTS	ON	WELLO
2014DK I	NOTICES	AND	REPURIS	ON	WELLS

(Do not use this form for prop	osals to drill or to deepen or plug back to a different reservoir. CATION FOR PERMIT—" for such proposals.)		
1. OIL GAS X OTHER	7. UNIT AGREEMENT NAME Allison Unit		
2. NAME OF OPERATOR	8. FARM OR LEASE NAME		
El Paso Natural Gas Comp	Allison Unit		
3. ADDRESS OF OPERATOR	9. WELL NO.		
At surface 790'S, 1840'E	v Mexico 87401 clearly and in accordance with any State requirements.*	38 10. FIELD AND POOL, Blanco Mesa 11. SEC., T., R., M., OR SURVEY OR ARE Sec. 17, T-3. N. M. P. M.	Verde
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.)	12. COUNTY OR PARIS	H 13. STATE
	6548' GL	San Juan	New Mexico
16. Check A	ppropriate Box To Indicate Nature of Notice, Report, o	r Other Data	

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PULL OR ALTER CASING WATER SHUT-OFF REPAIRING WELL

TEST WATER SHUT-OFF PULL OR ALTER CASING WATER SHUT-OFF REPAIRING WELL

PRACTURE TREAT MULTIPLE COMPLETE FRACTURE TREATMENT ALTERING CASING
SHOOT OR ACIDIZE ABANDON\*

REPAIR WELL

(Other) Plug Dakota & Recomplete in MV X

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

To increase production from this well it is planned to plug the Dakota formation and recomplete in the Mesa Verde formation in the following manner:

Squeeze perforations from 7968' to 8176' below cement retainer and spot 100' cement plug on top of retainer.

Spot cement plug inside  $4\ 1/2$ " casing across top of Gallup formation. Run Gamma Ray Correlation Log and Cement Bond Log across Mesa Verde interval.

Log and Cement Bond Log across Mesa Verde interval.

Perforate squeeze hole at approximately 6300' and squeeze at the base of the perforate and sand water fracture the Mesa Verde formation. Clean out and the tubing.

AUG 2 3 1978

U. S. GEOLOGICAL SURVEY DURANGO, COLO.

18. I hereby certify that the foregoing is true and correct SIGNED

(This space for Federal or State office use)

Drilling Clerk

Date

Drilling Clerk

Date

Oka

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

<sup>17.</sup> DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*