District I P.O. Box 1980, Hobbs, NM District II P.O. Drawer DD, Artesia, NM 88211 District III 1000 Rio Brazos Rd, Azzec, NM 87410

State of New Mexico Energy, Minerals and Natural Resources Department

SUBMIT 1 COPY TO APPROPRIATE DISTRICT OFFICE

OIL CONSERVATION DIVISION ON SANTAFE OFFICE
P.O. Box 2088
Santa Fe, New Mexico 87504-2088 EPUTY OIL & GAS INSPECTOR

SEP.1.1 1995

RANKING SCORE (TOTAL POINTS):

10

C-131)

PIT REMEDIATION AND CLOSURE REPORT			
		Apprecial	
Operator: Wi	lliams Field Services	Telephone: 801-584-6999	
Address: 295	Chipeta Way Sal	t Lake City, UT 84158	
	SJ 32-7 #29 A		
Location: Unit	or Qtr/Qtr Sec NE NE	Sec 18 T32N R 7W County SAN JUAN	
Pit Type: Sepa	rator Dehydrator	X Other	
Land Type: BL	$M \underbrace{\int}_{}$, State, Fee	, Other	
Pit Location: Pit dimensions: length 12', width 13', depth 2'			
	Reference: wellhead	x, other	
	Footage from referen	ce:54'	
	Direction from refer	ence: <u>85</u> Degrees <u>X</u> East North <u>X</u> of West South	
Depth To Ground Water: (Vertical distance from contaminants to seasonal high water elevation of ground water)		Less than 50 feet (20 points) 50 feet to 99 feet (10 points) Greater than 100 feet (0 Points) lo	
Wellhead Protection Area: Less than 200 feet from a private domestic water source, or; less than .000 feet from all other water sources)		DECEIVED SEP 1 9 1994 Yes (20 points) No (0 points) OUL CON. DIV. DUST. 3	
Distance To Surface Water: Horizontal distance to perennial akes, ponds, rivers, streams, creeks, crigation canals and ditches)		Less than 200 feet (20 points) 200 feet to 1000 feet (10 points) Greater than 1000 feet (0 points)	

Date Remediation Started: Dated Completed:				
Remediation Method: (Check all appropriate	Excavation	Approx. cubic yards		
sections)	Landfarmed	Insitu Bioremediation		
	Other			
Remediation Location: Onsite Offsite				
<pre>(ie. landfarmed onsite, name and location of offsite facility)</pre>				
•	Of Remedial	Action:		
Site Assessment in accordance with OCD and BLM guidance document.				
Ground Water Encountered: No X Yes Depth				
Final Pit: Closure Sampling:	Sample locat	cion Standard Triangle from pit floor.		
(if multiple samples,				
attach sample results and diagram of sample locations and depths)	Sample depth	1' DUE TO COBBLES + GRAVELS LIMITING PENETRATION		
rocacions and depens,	Sample date	7-13-94 Sample time 1240		
	Sample Resul	ts		
	Benzene	(ppm)		
	Total B	TEX(ppm)		
	Field h	eadspace(ppm) 12		
	TPH	590		
Ground Water Sample: Yes No _X (If yes, attach sample results)				
I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF				
DATE 9-6-94				
SIGNATURE & Hauer	4 PR AN	INTED NAME D TITLE Lee Bauerle, Environmental Spec.		



AMERICAN

ORGANIC ANALYSIS REPORT

WEST Client: Mile High Environmental ANALYTICAL Date Sampled: July 13, 1994 LABORATORIES Date Received: July 21, 1994

Set Description: Fifty-Five Solid Samples

Set Identification #: 19194 Contact: Mark Harvey

Received By: Elona Hayward

Analysis Requested:

Total Recoverable Petroleum

Hydrocarbons

Method Ref. Number: EPA 418.1 (Extraction

Infrared Absorption)

Date Extracted: July 28, 1994

463 West 3600 South Lab Sample ID. Number: Salt Lake City, Utah 19194-48

84115

Field Sample ID, Number: Vulnerable Area Pits (IGF)

Date Analyzed: July 29, 1994

SJ 32-7 #29 86865

Analytical Results

Total Recoverable Petroleum Hydrocarbons

Units = mg/kg (ppm)

(801) 263-8686 Fax (801) 263-8687

Compound:

Detection Limit:

Amount Detected:

Total Recoverable Petroleum Hydrocarbons

5.0

590.

< Value = None detected above the specified method detection limit, or a value that reflects a reasonable limit due to interferences.

Released by:

Report Date 8/4/94