

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R355.5.5. LEASE DESIGNATION AND SERIAL NO.
SF 078095

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Case
9. WELL NO.

6 A (PM)

10. FIELD AND POOL, OR WILDCAT

Blanco PC & Blanco MV
11. SEC., T., R., M., OR BLOCK AND SURVEY
OR AREA
Sec. 5, T-31-N, R-11-W
N.M.P.M.12. COUNTY OR
PARISH
San Juan13. STATE
New Mexico

19. ELEV. CASINGHEAD

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL ☐ GAS WELL ☒ DRY ☐ Otherb. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other

2. NAME OF OPERATOR

EL PASO NATURAL GAS COMPANY

3. ADDRESS OF OPERATOR

Box 990, Farmington, New Mexico 87401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface

1618'S, 1086'E

At top prod. interval reported below

At total depth

14. PERMIT NO.

DATE ISSUED

15. DATE SPUDDED

1-27-78

16. DATE T.D. REACHED

2-5-78

17. DATE COMPL. (Ready to prod.)

7-24-78

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*

6192' GL

20. TOTAL DEPTH, MD & TVD

5469'

21. PLUG, BACK T.D., MD & TVD

5450'

22. IF MULTIPLE COMPL., HOW MANY*

2

23. INTERVALS DRILLED BY

ROTARY TOOLS

0-5469'

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

2852-74 (PC)

4367-5421 (MV)

25. WAS DIRECTIONAL SURVEY MADE

No

26. TYPE ELECTRIC AND OTHER LOGS RUN

Ind-GR; IEL-GR; CDL-GR; Cement Bond; Temp. Survey

27. WAS WELL CORED

No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
9 5/8"	36#	202'	13 3/4"	248 cf	
7"	20#	3139'	8 3/4"	499 cf	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
4 1/2"	2994'	5469'	445 cf		2 3/8"	5417'	Baker Model "G"
					1 1/4"	2881'	Seal Assy. set in

31. PERFORATION RECORD (Interval, size and number) 2852-74 w/20

SPZ. 4367, 4386, 4434, 4576, 4591, 4601, 4614, 4639, 4777, 4892, 4906, 4912, 4959, 4972, 4988, 4996, 5004, 5020, 5030 w/1 SPZ. 5099, 5103, 5121, 5127, 5132, 5146, 5151, 5156, 5165, 5170, 5193, 5208, 5242, 5248, 5281, 5298, 5371, 5394, 5421 w/1 SPZ.

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC. a PBR

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
2852 - 2874	22,000#10/20sand; 22,000 gal. wtr.
4367 - 5030	66,000#20/40sand; 132,000 gal. wtr.
5099 - 5421	52,000#20/40sand; 82,300 gal. wtr.

33. PRODUCTION

DATE FIRST PRODUCTION PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) WELL STATUS (Producing or shut-in) Shut in

DATE OF TEST HOURS TESTED CHOKE SIZE PROD'N. FOR TEST PERIOD OIL—BBL. GAS—MCF. WATER—BBL. GAS-OIL RATIO

7-24-78

3

3/4"

→

OIL—BBL.

GAS—MCF.

WATER—BBL.

GAS-OIL RATIO

FLOW, TUBING PRESS.

SHUT IN

CALCULATED 24-HOUR RATE

OIL—BBL.

GAS—MCF.

WATER—BBL.

OIL GRAVITY-API (CORR.)

MV 658, PC 935

PC 935, MV--

A.O.F. PC 2897

A.O.F. MV 4527

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

TEST WITNESSED BY

D. Wright

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

D. G. Busco

TITLE

Drilling Clerk

DATE

8-3-78

*(See Instructions and Spaces for Additional Data on Reverse Side)

RECEIVED

U. S. GEOLOGICAL SURVEY
FARMINGTON, N. M.

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES:				38. GEOLOGIC MARKERS	
SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES				NAME	MEAS. DEPTH
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.		
				P.C. M.V. P.L.	2833 4364 5088

NO. OF COPIES RECEIVED		5
DISTRIBUTION		
SANTA FE		/
FILE		/
U.S.G.S.		
LAND OFFICE		
TRANSPORTER	OIL	/
	GAS	/
OPERATOR		/
PROPRATION OFFICE		

NEW MEXICO OIL CONSERVATION COMMISSION
REQUEST FOR ALLOWABLE
AND
AUTHORIZATION TO TRANSPORT OIL AND NATURAL GAS

Form C-104
Supersedes Old C-104 and C-1,
Effective 1-1-65

I. Operator
EL PASO NATURAL GAS COMPANY

Address
Box 990, Farmington, New Mexico 87401

Reason(s) for filing (Check proper box)

New Well	☒	Change in Transporter of:		Other (Please explain)
Recompletion	☐	Oil	☐	
Change in Ownership	☐	Casinghead Gas	☐	
		Dry Gas	☐	
		Condensate	☐	

If change of ownership give name
and address of previous owner

II. DESCRIPTION OF WELL AND LEASE

Lease Name Case	Well No. 6A	Pool Name, Including Formation Blanco P.C.	Kind of Lease State, Federal or Fee	Lease No. SF 078095
Location Unit Letter <u>I</u> ; <u>1618</u> Feet From The <u>South</u> Line and <u>1086</u> Feet From The <u>East</u> Line of Section <u>5</u> Township <u>31 N</u> Range <u>11 W</u> , NMPM, San Juan County				

III. DESIGNATION OF TRANSPORTER OF OIL AND NATURAL GAS

Name of Authorized Transporter of Oil ☐ or Condensate ☒ EL PASO NATURAL GAS COMPANY	Address (Give address to which approved copy of this form is to be sent) Box 990, Farmington, New Mexico
Name of Authorized Transporter of Casinghead Gas ☐ or Dry Gas ☒ EL PASO NATURAL GAS COMPANY	Address (Give address to which approved copy of this form is to be sent) Box 990, Farmington, New Mexico
If well produces oil or liquids, give location of tanks.	Unit <u>I</u> Sec. <u>5</u> Twp. <u>31N</u> Rge. <u>11W</u> Is gas actually connected? ☐ When

If this production is commingled with that from any other lease or pool, give commingling order number:

IV. COMPLETION DATA

Designate Type of Completion - (X)	Oil Well	Gas Well	New Well	Workover	Deepen	Plug Back	Same Resrv.	Diff. Resrv.
		X	X					
Date Spudded 1-27-78	Date Compl. Ready to Prod. 7-24-78	Total Depth 5469'	P.B.T.D. 5450'					
Elevations (DF, RKB, RT, GR, etc.) 6192' GL	Name of Producing Formation P.C.	Top Oil/Gas Pay 2852'	Tubing Depth 2881'					
Perforations 2852-74 w/20 SPZ			Depth Casing Shoe 5469'					
TUBING, CASING, AND CEMENTING RECORD								
HOLE SIZE	CASING & TUBING SIZE	DEPTH SET	SACKS CEMENT					
13 3/4"	9 5/8"	202'	248 cf					
8 3/4"	7"	3139'	499 cf					
6 1/4"	4 1/2" liner	2994 - 5469'	445 cf					
	1 1/4"	2881'	Tubing					

V. TEST DATA AND REQUEST FOR ALLOWABLE OIL WELL

(Test must be after recovery of total volume of load oil and must be equal to or exceed top allowable for this depth or be for full 24 hours)

Date First New Oil Run To Tanks	Date of Test	Producing Method (Flow, pump, gas lift, etc.)	
Length of Test	Tubing Pressure	Casing Pressure	Choke Size
Actual Prod. During Test	Oil-Bbls.	Water-Bbls.	Gas-MCF

GAS WELL

Actual Prod. Test-MCF/D A.O.F. 2897	Length of Test 3 hours	Bbls. Condensate/MMCF	Gravity of Condensate
Testing Method (prior, back pr.) Calc. A.O.F.	Tubing Pressure (shut-in) 935	Casing Pressure (shut-in) 935	Choke Size 3/4"

VI. CERTIFICATE OF COMPLIANCE

I hereby certify that the rules and regulations of the Oil Conservation Commission have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

N. G. Bures
(Signature)
Drilling Clerk
(Title)
8-3-78
(Date)

OIL CONSERVATION COMMISSION
APPROVED AUG 14 1978, 19
BY Original Signed by FRANK T. CHAVEZ
TITLE DEPUTY OIL & GAS INSPECTOR, DIST. #3

This form is to be filed in compliance with RULE 1104.
If this is a request for allowable for a newly drilled or deepened well, this form must be accompanied by a tabulation of the deviation tests taken on the well in accordance with RULE 111.
All sections of this form must be filled out completely for allowable on new and recompleted wells.
Fill out only Sections I, II, III, and VI for changes of owner, well name or number, or transporter, or other such change of condition.
Separate Forms C-104 must be filed for each pool in multiply completed wells.