F Bı

Form approved. Budget Bureau No. 42-R1425.

UNITED STATES DEPARTMENT OF THE INTERIOR

В	udget	Bureau	No.	42-R14	2 5.
30	20	45		32	4
5. LEASE	DESIG	MOITAN	ND 8	ERIAL N	D.

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK				MOO-C-1420-1719
	Mountain Ute			
1a. TYPE OF WORK DRILL DEEPEN			PLUG BA	
b. TYPE OF WELL			SINGLE MULTI	PLE 8. FARM OR LEASE NAME
	AS OTHER		ZONE X ZONE	Ute 13
Energetics.	Inc.		:	9. WELL NO.
3. ADDRESS OF OPERATOR				41 10, FIELD AND POOL, OR WILDCAT
333 W. Hamp	oden Avenue, Sui	te 1010, Engin accordance with	glewood, colroado any State requirements.*)	80110 Verde Gallup
At suriace	FNL & 730' FEL			11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
At proposed prod. zon				
	Same		ониулий	Sec. 13, T31N, R15W
14. DISTANCE IN MILES	AND DIRECTION FROM NEAR	EST TOWN OR POST	OFFICE	San Juan New Mexic
15. DISTANCE FROM PROP	USED*		16. NO. OF ACRES IN LEASE	17. NO. OF ACRES ASSIGNED TO THIS WELL
LOCATION TO NEARES PROPERTY OR LEASE (Also to nearest dr)	LINE, FT.		640	40
18. DISTANCE FROM PROI			19. PROPOSED DEPTH	20. ROTARY OR CABLE TOOLS
OR APPLIED FOR, ON TH	IS LEASE, FT.	<u> </u>	2700	Rotary & Cable Tools
21. ELEVATIONS (Show wh	ether DF, RT, GR, etc.)			November 26, 1978
5706 gr	p	ROPOSED CASING	G AND CEMENTING PROGR	
		WEIGHT PER FOO		QUANTITY OF CEMENT
SIZE OF HOLE	SIZE OF CASING	32	100 =	100sk
12 1/4	8 5/8 5 1/2	15.5	2500	330 sk.
4 3/4	Open Hole		2500-2700	
(See Attac	T DOORGED BROCK W. If I	proposal is to deepe lly, give pertinent	en or plug back, give data on data on subsurface locations:	present productive zone and proposed new productive and measured and true vertical depths. Give blowout
preventer program, if an	ny.			
BIGNED John	allfander	TITI	Agent	DATE 10-6-78
(This space for Fed	eral or State office use)			
PERMIT NO.			APPROVAL DATE	EGELVEIT
				一 1411、 1512 1514
APPROVED BYCONDITIONS OF APPRO	VAL, IF ANY:	TIT!		OCT 1'5 1978
oh Frank				U. S. GEOLOGICAL SURVEY Demailed, Colo.

All distances must be from the outer boundaries of the Section Operator Well No. Lease ENERGETICS, INC. VTE 13 Unit Letter Section Township Hange County 31N 15W San Juan Actual Footage Location of Well: North 730 East feet from the line Ground Level Elev. Producing Formation Dedicated Acreage: 5706 40 Gallup Verde Gallup Acres 1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. 2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). 3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling, etc? Yes ∃Nο If answer is "yes," type of consolidation __ If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.)_ No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission. CERTIFICATION I hereby certify that the information con-7301 tained herein is true and complete to the best of my knowledge and belief. Agent Energetics, Inc. Company October 6, 1978 Sec 13 I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed September Registored Pr Fred B Certificate N

1660

1980 2310

3950

ENERGETICS, INCORPORATED FORMATION INFORMATION AND DRILLING PRACTICES

WELL:

Ute 13 No. 41

LOCATION:

660' FNL & 730' FEL Sec. 13, T31N, R15W San Juan County, N.M.

LEASE NO.:

M00-C-1420-1719

1. Surface formation.

Menefee

2. Estimated tops of important geologic markers.

Point Lookout	755
Mancos	1130
Gallup	2500

3. Hydro-carbon, water or mineral bearing formation.

2500' 0il

2500-2700'

4. <u>Proposed casing program.</u>

0-100' 85/8", 32#, new casing. Cement with 100 sk. Class B + 2% C_a Cl₂. $5\frac{1}{2}$ ", 15.5#, new casing. Cement with 230 sk. Halliburton Light with $6\frac{1}{4}$ lb. Gilsonite/sk. followed by 100 sk. Class B + 2% C_a Cl₂ with $6\frac{1}{4}$ lb. Gilsonite/sk.

Open hole (Drill with Cable Tool)

5. Specifications for pressure control equipment.

The attached schematic shows the type of blow-out preventer to be used while drilling. The unit will be tested to 200 psi as soon as possible after it's installation on the surface pipe. Testing will be done with the rig pump. This is a manual type preventer, and it's operation will be manually checked when practical.

6. Drilling fluids.

Depth	<u>Type</u>	<u>Viscosity</u>	Weight	Fluid Loss
0-100 0-2500 2500-2700	Gel-Lime Gel-Chem Water	35-55 30-40	8.9-9.2 8.6-9.5	N/C 10

7. <u>Auxiliary equipment</u>.

- a. Bit float
- Full opening valve for stabbing in drill pipe when the kelly is not in use.

8. Logging - Coring - Drill Stem Testing.

Logging:

Induction Electric Log, Formation Compensated Density, Gamma Ray, Caliper

Coring:

None

Drill Stem Testing:

None


9. Abnormal temperatures, pressures, or hazardous conditions.

None expected.

10. Starting date.

> Anticipated starting date is November 26, 1978. Approximately fifteen days will be needed to build roads and location and drill the well to total depth. If commercial, completion will commence immediately and require approximately seven days to complete.

BLOWOUT PREVENTERS



ENERGETICS, INCORPORATED SURFACE DEVELOPMENT PLAN

WELL

Ute 13 #41

LOCATION:

660' FNL & 730' FEL Sec. 13, T31N-R15W San Juan County, N.M.

LEASE NO.:

M00-C-1420-1719

1. <u>Existing roads</u>. (Shown in green.)

The attached topographic map shows all existing roads within one mile of the proposed location. Access will be made to an existing road 100' east of the location.

Some existing roads are in poor condition and will have to be upgraded to handle normal drilling activity traffic.

2. Planned access road. (Shown in red.)

The planned access road will be approximately 100' long and 20' wide. Maximum grade will be 5%. No turnouts or culverts will be required. Water bars will be used to aid drainage and prevent erosion. No surfacing material will be required. No gates, cattle guards, or fences will be crossed. No cuts or fills should be required.

Location of existing wells.

All wells (water, abandoned, disposal, and drilling) are shown and so labeled on the attached section layout.

4. <u>Location of tank batteries</u>, production facilities and production, gathering and service lines.

All production facilities are to be contained within the proposed location. Energetics does not own or control any such facilities in the area.

5. Location and type of water supply.

Water for drilling will be trucked from the San Juan River located fifteen miles southeast of location. This water is not on federal land.

6. <u>Source of construction material</u>.

Any construction material required for road or location will be excess material accumulated during building of such sites.

Methods of handling waste disposal.

(Refer to attached well site layout.)
All burnable material will be burned in the trash pit when conditions permit. All nonburnable material (drilling fluids, cuttings, chemicals, etc.) will be held in the reserve pit and buried when dry. Any oil produced while drilling will be trucked from the location prior to leaving the pit to dry. Pits will be fenced during dryout time, then completely back-filled with dirt prior to preparing the location for production or abandonment.

8. Ancillary facilities.

No ancillary facilities are planned.

9. Well site layout.

The attached layout shows the drilling rig with all facilities. Cut and fill required are also indicated.

10. Plans for restoration of surface.

Restoration of well site and access road will begin within ninety days of well completion, weather permitting.

Should the well be abandoned, the drilling site will be reshaped to it's approximate former contour. The access road will be plowed and leveled. Both site and road will have top soil replaced and will be reseeded when germination can occur.

Should the well be commercial, that portion of the location not needed for operation will be repaired as above. The portion needed for daily production operations, and the access road, will be maintained in good repair.

In either case, clean up of the site will include burning any safely burnable material, filling of all pits, carrying away of all nonburnable material and chemicals that cannot be buried. Any oil that has accumulated on the pits will be trucked away.

11. Other information.

General topography of the area may be seen on the attached map.

The dri-ling site is flat and is covered with sage brush and other native grasses. There are no creeks, rivers or ponds in the area. The soil is Sany Loam. Small animals and sheep inhabit the area.

The surface is administered by The Bureau of Indian Affairs, and belongs to the Ute Mountain Tribe.

There are no occupied dwellings in the area.

There are no occupied dwellings in the area.

There are no archaelogical or cultural sites visible on the location. The archaelogist's report is forthcoming.

12.

John Alexander
3E Company, Inc.
P. O. Box 190
Farmington, New Mexico 87401
Telephone: 505-327-4020

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which presently exist; that the statements made in the plan are, to the best of my knowledge, true and correct; and that the work associated with the operatons proposed herein will be performed by Energetics, Incorporated and it's contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.

October 6, 1978

John Alexander

TO X 10 TO 1/2 INCH 4
7 X 10 INCHES MAKEUFFEL & ESSER CO. 46 1320

