SUBMIT IN TRIPLICATE*

Form approved. Budget Bureau No. 42-R1425.

(Other instructions on reverse side) UNITED STATES
DEPARTMENT OF THE INTERIOR

()	UNIT DEPARTMENT	ED STATES OF THE IN		reverse		30.095. 5. LEASE DESIGNATION	AND SERIAL NO.	
	GEOLO	GICAL SURVE	Y			M00-C-1420	-1720	
APPLICATIO	N FOR PERMIT 1	O DRILL, D	EEPE	N, OR PLUG	BACK	6. IF INDIAN, ALLOTTE.	E OR TRIBE NAME	
1a. TYPE OF WORK						Mountain U		
	RILL X	DEEPEN [PLUG BA	CK 📋 .	3		
	WELL OTHER			NGLE MULTI	PLE	8. FARM OR LEASE NA	ME	
2. NAME OF OPERATOR	VEDE CO				· · · · · · · · · · · · · · · · · · ·	Ute 14		
ENERGETICS,			,			9. WELL NO.		
3. ADDRESS OF OPERATOR						10. FIELD AND POOL, O	3D WW.03.5	
333 W. Hamped	d Avenue, Suite Report location clearly and	1010, Engle	WOOD,	tate requirements.*)		Verde Gall		
At surface				,		11. SEC., T., R., M., OR	BLK.	
1760' At proposed prod. zo	' FNL & 2310' FE					AND SURVEY OR AL	BEA	
•	Same					Sec 14-T31		
14. DISTANCE IN MILES	AND DIRECTION FROM NEAD	EST TOWN OR POST	OFFICE			12. COUNTY OR PARISH	1	
			16 27-	OR LODGO VY VELOT	1 17 vo	San Juan .	. NM	
10. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. unit line, if any) 18. DISTANCE FROM PROPOSED LOCATION*			10. NO	. OF ACRES IN LEASE		OF ACRES ASSIGNED 'HIS WELL	-	
			640 19. PROPOSED DEPTH 2		20. ROTA	40 ROTARY OR CABLE TOOLS		
	DRILLING, COMPLETED,		20. 12	2700		otary & Cable Tools		
	hether DF, RT, GR, etc.)			2100	*	22. APPROX. DATE WO		
5762	2' g.l.					January 29,	1979	
23.		ROPOSED CASIN	G AND	CEMENTING PROGR	AM			
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FO	от	SETTING DEPTH	<u> </u>	QUANTITY OF CEME	NT	
12 1/4	8 5/8	20		100	1 :	100 sk.		
7 7/8	5 1/2	14		2500	3	30 sk.		
4 3/4	Open hole			2500-2700				
	•	İ	,		1			
(See Attachme	ents)				3 %		•	
(Dec Accaciance								
				· ·		off in A	• :	
						nlul		
					_ { :j		1	
				VE		648 1979		
					1011	CON COM	! =	
		į	j \i.	1 . 4070		DIST, 3		
			D	EC 14 1978			•	
			U. S. (
IN ABOVE SPACE DESCRIE	BE PROPOSED PROGRAM: If postulation of deepen directions	proposal is to deepe Hy, give pertinent	en or p data o	lug back, give data on p n subsurface locations a	oresent prod .nd measure	luctive zone and propose d and true vertical depti	ed new productiv hs. Give blowou	
preventer program, if a						<u> </u>	 	
24.	$\alpha \alpha / \alpha$	^			1			
SIGNED ON	n llefand	<u> </u>	LE	Agent		DATE 12/5	778	
(This space for Fed	Alexander leral or State office use)				.5			
						集集的复数电影		
PERMIT NO.				APPROVAL DATE				
1 B O D O C E D D V	•	TIT	r. IG			DATE		
CONDITIONS OF APPRO	OVAL, IF ANY:					· · · · · · · · · · · · · · · · · · ·		

oh 5 ruh

NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

	All distances must be from the outer boundaries of the Section.						
Operator			Lease			Well No.	
ENERGET IC			UTE 11.	<u> </u>	•	32	
Unit Letter	Section	Township	Range	County			
G	14	31N	15W	San Jua	ın		
Actual Footage Loc							
1760	feet_from the NC	orth line and	2310 _{fe}	eet from the	Cast	line	
Ground Level Elev.	Producing Fort	nation	Pool		Dedi	cated Acreage:	
5762	Gall	up	Verde Gallug	o .		40	
1 Outline th			<u> </u>			Acres	
1. Outline in	e acreage dedicat	ed to the subject w	ell by colored pencil	or hachure man	rks on the pla	at below.	
2. If more th interest an	an one lease is d royalty).	dedicated to the wel	ll, outline each and id	lentify the own	ership therec	of (both as to working	
 If more that dated by control 	n one lease of di ommunitization, u	fferent ownership is nitization, force-pool	dedicated to the well	, have the inte	rests of all	owners been consoli-	
Yes	No If an	swer is "yes," type o	of consolidation	·			
If answer i	If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.)						
	· ·	d to the	1 !- 4 1 1	14.7	·		
forcedl	ine will be assigne	u to the well until al	l interests have been	consolidated ((by communit	tization, unitization,	
rorcea-poor	ing, or otherwise)	or until a non-standar	d unit, eliminating su	ch interests, h	as been appr	oved by the Commis-	
sion.							
				 -			
	i		i		CER	RTIFICATION	
	1	1 1	İ				
Ĭ	1		1	11.	I hereby certify	that the information con-	
	. !	وَ	f .		tained herein is	true and complete to the	
	1	1760	İ	1 1		ledge and belief.	
	1	~	i		\mathcal{O}	50 (
	1.		1		ala (lletanlle	
			. !	Ma	me	7	
	1			-	AGent	•	
	1			Po	sition		
	ł		21101		Energetic	s Inc	
	1	7		Co	mpony	o, me.	
	1	`					
	· 1			Da	12/5/78		
	l Sec			l Da	te		
	1						
	1 1	14		1 1		that the well location	
	1		1	1 1		at was plotted from field	
İ			DECIM	1 1		surveys made by me or	
	i		on oder			ision, and that the same	
1	1		Our Church	1 1		rect to the best of my	
			V Driver	k	nowledge and b	elief.	
	_ +		一大は 世間市				
l ·	1	The state of the state of			Test	RED LAW	
1	i	Liti	l	Dat	e Suryeyed	TAT STATE	
	f		IEC 1 4 1978	No.	verber 28	1000	
]	1		41 1	l 	istered Profess	Bong! Engineer	
	1		er i ka oktorog i	11 -	or Land Surve	101	
•	1	U. S	! → · · · · · · · · · · · · · · · · · ·		7 12/1	ا الموسقة	
	,		•		· ·	Service 1	
L					ed B. Cor	Eur A A	
					tificate No.	•	
0 330 660 9	0 1320 1650 1980	2310 2640 2000	1500 1000 5	۶ ۵ ه	950		

ENERGETICS, INCORPORATED

FORMATION INFORMATION AND DRILLING PRACTICES

WELL: Ute 14 #32

LOCATION: 1760' FNL & 2310' FEL Sec. 14-T31N-R15W San Juan County, NM

LEASE NO.: Noo-C-1420-1720

DEC 14 1978

1. SURFACE FORMATION

Menefee

2. ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS

Point Lookout 811
Mancos 1195
Gallup 2557

3. HYDRO CARBON, WATER OR MINERAL BEARING FORMATION

2500' Oil

4. PROPOSED CASING PROGRAM

0-100' 8 5/8, 20#, new casing. Cement with 100 sk. Class B + 2% CaCl₂.

0-2500 $5\frac{1}{2}$, 14#, new casing. Cement with 230 sk. Halliburton Light with $6\frac{1}{4}$ lb. Gilsonite/sk. followed by 100 sk. Class B + 2%

CaCl₂ with $6\frac{1}{4}$ lb. Gilsonite/sk.

2500-2700 Open hole (drill with Cable tool)

5. SPECIFICATIONS FOR PRESSURE CONTROL EQUIPMENT:

The attached schematic shows the type of blow out preventer to be used while drilling. The unit will be tested to 200 psi as soon as possible after its installation on the surface pipe. Testing will be done with the rig pump. This is a manual type preventer, and its operation will be manually checked when practical.

6. DRILLING FLUIDS

Depth	Type	Viscosity	Weight	Fluid Loss
0-100	Gel-Lime	35-55	8.9-9.2	N/C
100-2500	Gel-Chem	30-40	8.6-9.5	10
2500 2700	Motor			

2500-2700 Water

7. AUXILIARY EQUIPMENT

A. Bit float

B. Full opening valve for stabbing in drill pipe when the kelly is not in use.

8. LOGGING - CORING - DRILL STEM TESTING

Logging: Induction Electric Log

Coring: None

Drill Stem Testing: None

DEC 14 1978

9. ABNORMAL TEMPERATURES, PRESSURES, OR HAZARDOUS CONDITIONS

None expected.

10. STARTING DATE

Anticipated starting date is January 29, 1979. Approximately 15 days will be needed to build roads and location and drill the well to total depth. If commercial, completion will commence immediately and require approximately 7 days to complete.

DEC 14 1978

ENERGETICS, INCORPORATED

SURFACE DEVELOPMENT PLAN

WELL: Ute 14 #32

LOCATION: 1760' FNL & 2310' FEL Sec. 14-T31N-R15W San Juan County, NM

LEASE NO.: Noo-C-1420-1720

DEC 1₄ 1978

1. EXISTING ROADS (Shown in green)

The attached topographic map shows all existing roads within one mile of the proposed location. Access will be made to an existing road 1/4 mile west of the location.

Some existing roads are in poor condition and will have to be upgraded to handle normal drilling activity traffic.

2. PLANNED ACCESS ROAD (Shown in red)

The planned access road will be approximately 1/4 mile long and 20' wide. Maximum grade will be 5%. No turnouts or culverts will be required. Water bars will be used to aid drainage and prevent erosion. No surfacing material will be required. No gates, cattle guards, or fences will be crossed. No cuts or fills should be required.

3. LOCATION OF EXISTING WELLS

All wells (water, abandoned, disposal, and drilling) are shown and so labeled on the attached section layout.

4. LOCATION OF TANK BATTERIES, PRODUCTION FACILITIES AND PRODUCTION, GATHERING AND SERVICE LINES

All production facilities are to be contained within the proposed location. Energetics does not own or control any such facilities in the area.

5. LOCATION AND TYPE OF WATER SUPPLY

Water for drilling will be trucked from the San Juan River located 15 miles southeast of location. This water is not on federal land.

6. SOURCE OF CONSTRUCTION MATERIAL

Any construction material required for road or location will be excess material accumulated during building of such sites.

7. METHODS OF HANDLING WASTE DISPOSAL

(Refer to attached well site layout)
All burnable material will be burned in the trash pit when conditions
permit. All nonburnable material (drilling fluids, cuttings, chemicals, etc)
will be held in the reserve pit and buried when dry. Any oil produced
while drilling will be trucked from the location prior to leaving the
pit to dry. Pits will be fenced during dryout time, the completely
back filled with dirt prior to preparing the location for production or
abandonment.

DEC 14 1978

U.S.

8. ANCILLARY FACILITIES

No ancillary facilities are planned

9. WELL SITE LAY OUT

The attached lay out shows the drilling rig with all facilities. Cut and fill required is also indicated.

10. PLANS FOR RESTORATION OF SURFACE

Restoration of well site and access road will begin within 90 days of well completion, weather permitting.

Should the well be abandoned, the drilling site will be reshaped to its approximate former contour. The access road will be plowed and leveled. Both site and road will have top soil replaced and will be reseeded when germination can occur.

Should the well be commercial, that portion of the location, not needed for operation, will be repaired as above. The portion needed for daily production operations, and the access road, will be maintained in good repair.

In either case, clean up of the site will include burning any safely burnable material, filling of all pits, carrying away of all nonburnable material and chemicals that can not be buried. Any oil that has accumulated on the pits will be trucked away.

11. OTHER INFORMATION

General topography of the area may be seen on the attached map.

The drilling site is flat and is covered with sage brush and other native grasses. There are no creeks, rivers or ponds in the area. The soil is sandy loam. Small animals and sheep inhabit the area.

The surface is administered by the Bureau of Indian Affairs, and belongs to the Ute Mountain Tribe.

There are no occupied dwellings in the area.

There are no archaeological or cultural sites visible on the location. The archaeologist report is forthcoming.


12.

John Alexander
3E Company
P.O. Box 190
Farmington, NM 87401
Phone: 505-327-4020

DEC 14 1978


13. I hereby certify that I or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which presently exist; that the statements made in the plan are to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by Energetics, Incorporated and its contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.


December 5, 1978





BLOWOUT PREVENTERS





1760'FNL 2310'FFL Sec 11-T31N-215W SAN JUAN COUNTY, N.W MEXICO