

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☐ gas well ☒ other

2. NAME OF OPERATOR
Consolidated Oil & Gas

3. ADDRESS OF OPERATOR
P. O. Box 2038 Farmington, New Mexico 87401

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1100' FSL & 1100' FEL
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT *	<input checked="" type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input type="checkbox"/>
(other)		

5. LEASE

SF 078463

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Langendorf

9. WELL NO.

1-E

10. FIELD OR WILDCAT NAME

Blanco Mesa Verde

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec 34, T31N R13W

12. COUNTY OR PARISH

San Juan

13. STATE
New Mexico

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)

5875' G.R.

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*


7/31/80 1st Stage MV Perf 4376, 82,88,94,4400,29,36,46,96,4510, 16,37,42,74,90,4610,30,54. Acidize w/700 gal 7½% N.E. Acid

8/1/80 Frac w/104,800 gal. 70 quality foam. 50,000 lbs 10/20 sn, 75,000 lb. 20/40 sn. May Pr 3100 PSI Adv. Pr 2170 PSI Adv. Rate 30 BPM.

RECEIVED

SEP 09 1980

U. S. GEOLOGICAL SURVEY
FARMINGTON, N. M.



Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED *John K. Kubaider* TITLE **Drilling Supt.** DATE **9/4/80**

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
ACCEPTED FOR RECORD

SEP 11 1980

BY *Blw* FARMINGTON DISTRICT

*See Instructions on Reverse Side

NMOCC