District I PO Box 1980, Hobbs, NM District II P.O. Drawer DD, Artesus, NM 88211 District III 1000 Rio Brazos Rd, Aztet, NM 87410

State of New Mexico Energy, Minerals and Natural Resources Department SUBMIT 1 COPY TO APPROPRIATE : DISTRICT OFFICE

OIL CONSERVATION DIVISION DEPUTY OIL & GAS INSPECTOR

SANTA FE OFFICE
P.O. Box 2088
Santa Fe, New Mexico 87504-208 DEPUTY OIL & GAS INSPECTOR

SEP 11 11 1995

PIT REMEDIATION AND CLOSURE REPORT

	Fifth coop	
Operator: Williams Field Services	The state of the s	
Address: 295 Chipeta Way Salt Lake City, UT 84158		
Facility Or: SCHALK 94 #2A Well Name County SAN JUAN Pit Type: Separator Debydrator y Other		
Pit Type: Separator Dehydrator_X Other		
Land Type: BLM /, State, Fee, Other		
Pit Location: Pit dimensions: length 16 , width 16 , depth 4 Reference: wellhead x, other Footage from reference: 107 Direction from reference: 40 Degrees East North x of x West South		
Depth To Ground Water: (Vertical distance from contaminants to seasonal high water elevation of ground water)	Less than 50 feet (20 points) 50 feet to 99 feet (10 points) Greater than 100 feet (0 Points) DECEIVED	
Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources)	Yes (20 points) No (0 points) OIL CON. DIV. DIST. 3	
Distance To Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)	Less than 200 feet (20 points) 200 feet to 1000 feet (10 points) Greater than 1000 feet (0 points) O	
	RANKING SCORE (TOTAL POINTS): 10	

Date Remediation S	tarted:	Dated Completed:
Remediation Method Check all appropriate	: Excavation	Approx. cubic yards
sections)	Landfarmed	
	Other	
		
Remediation Location ie. landfarmed onsite name and location of offsite facility)	on: Onsite	Offsite
General Description	of Remedial A	ction:
<u>Site Assessment</u>	in accordance	with OCD and BLM guidance document.
Ground Water Encoun	tered: No	X Yes Depth
Final Pit: Sample location Standard Triangle from pit floo (if multiple samples,		onStandard Triangle from pit floor
attach sample results and diagram of sample S locations and depths)	Sample depth	3'
rocacions and depens)	Sample date	7-13-94 Sample time 1505
	Sample Results	
	Benzene(p	pm)
	Total BTE	X(ppm)
	Field hea	dspace(ppm)
	TPH 120	
Ground Water Sample:	YesN	0 = X (If yes, attach sample results)
I HEREBY CERTIFY THA OF MY KNOWLEDGE AND	T THE INFORMAT	ION ABOVE IS TRUE AND COMPLETE TO THE BEST
DATE 9-6-94	2	
SIGNATURE To Benev	PRINT AND	TED NAME TITLE Lee Bauerle, Environmental Spec.
		- Invironmental Spec.



AMERICAN

ORGANIC ANALYSIS REPORT

WEST Client: Mile High Environmental ANALYTICAL Date Sampled: July 13, 1994 LABORATORIES Date Received: July 21, 1994

Set Description: Fifty-Five Solid Samples

Set Identification #: 19194 Contact: Mark Harvey

Received By: Elona Hayward

Analysis Requested:

Total Recoverable Petroleum

Hydrocarbons

Method Ref. Number: EPA 418.1 (Extraction

Infrared Absorption)

Date Extracted: July 28, 1994

463 West 3600 South Lab Sample ID. Number:

Salt Lake City, Utah 19194-21

84115

Field Sample ID. Number: Vulnerable Area Pits (IGF)

Schalk 94 #2A 85674

Date Analyzed:

July 29, 1994

Analytical Results

Total Recoverable Petroleum Hydrocarbons

Units = mg/kg (ppm)

(801) 263-8686

Fax (801) 263-8687

Compound:

Total Recoverable Petroleum Hydrocarbons

Detection Limit:

5.0

Amount Detected:

120.

< Value = None detected above the specified method detection limit, or a value that reflects a reasonable limit due to interferences.

Released by:

Report Date 8/4/94

1 of 1