

FIELD PIT SITE ASSESSMENT FORM

| GENERAL | Meter: 95166 Location: HEATON A # /E Operator #: Operator Name: AMOCS P/L District: Kurz Coordinates: Letter: C Section 30 Township: 31 Range: 11 Or Latitude Longitude Pit Type: Dehydrator X Location Drip: Line Drip: Other: Site Assessment Date: 1.9.95 Area: 02 Run: \$3 |
|-----------------|---|
| SITE ASSESSMENT | NMOCD Zone: (From NMOCD Maps) Inside Outside Land Type: BIM (1) Penny State (2) Menny Fee (3) DEPUTY OIL & GAS INSPECTOR |
| | Depth to Groundwater Less Than 50 Feet (20 points) 50 Ft to 99 Ft (10 points) Greater Than 100 Ft (0 points) (1) (2) (3) |
| | Wellhead Protection Area: Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction?, or; Is it less than 200 ft from a private domestic water source? (1) YES (20 points) (2) NO (0 points) |
| | Horizontal Distance to Surface Water Body Less Than 200 Ft (20 points) (1) 200 Ft to 1000 Ft (10 points) (2) Greater Than 1000 Ft (0 points) (3) Name of Surface Water Body ESTES ARRAYO |
| | (Surface Water Body : Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds) Distance to Nearest Ephemeral Stream (1) < 100'(Navajo Pits Only) (2) > 100' |
| | TOTAL HAZARD RANKING SCORE: POINTS |
| REMARKS | Remarks: REDUNE : TOPO SHOW LOCATION LASIDE U.Z. 3 PITS ON LOCATION, 2 BELONG TO OPERATOR. WILL CLOSE EPNG'S DEHY PIT. |
| | 2 October 10 Clarina. Vice Car Circa Dill IIII |
| E E | Na of Llate 11 |

FIELD PIT REMEDIATION/CLOSURE FORM

| GENERAL | Meter: 95166 Location: Heaton A H IF Coordinates: Letter: C Section 30 Township: 31 Range: 11 Or Latitude Longitude Longitude Date Started: 1-24-95 Run: 02 83 |
|--------------------|--|
| FIELD OBSERVATIONS | Sample Number(s): Kf 389 Sample Depth: 12' Feet Final PID Reading |
| CLOSURE | Remediation Method . Excavation |
| REMARKS | Remarks: No Line markees, dug A Test hole To 12' Sampled 000 closed fit. |
| | Signature of Specialist: Kells Podilla |



FIELD SERVICES LABORATORY ANALYTICAL REPORT

PIT CLOSURE PROJECT - Soil Samples Inside the GWV Zone

SAMPLE IDENTIFICATION

| | Field ID | Lab ID | | |
|----------------------------|----------|-----------------------|--|--|
| SAMPLE NUMBER: | KP 389 | 9 5 6593 | | |
| MTR CODE SITE NAME: | 95146 | N/A | | |
| SAMPLE DATE TIME (Hrs): | 1-24-95 | 0930 | | |
| SAMPLED BY: | N/A | | | |
| DATE OF TPH EXT. ANAL.: | 1-28.95 | 1-28.95 | | |
| DATE OF BTEX EXT. ANAL.: | 1/28/95 | 1/28/95 | | |
| TYPE DESCRIPTION: | V 6- | light Brown Fire sand | | |
| 1112 52501111 110111 | | | | |

RESULTS

| PARAMETER | RESULT | UNITS | QUALIFIERS | | | |
|----------------|----------|--------------------|------------|----------|------|----------|
| PANAIVIETEN | | | DF | Q | M(g) | V(ml) |
| BENZENE | 40.984 | MG/KG | 0.19685 | | 5.48 | 20 |
| TOLUENE | <0.984 | MG/KG | | <u> </u> | | |
| ETHYL BENZENE | 40.984 | MG/KG | | | | |
| TOTAL XYLENES | LZ.95 | MG/KG | | | 1 | <u> </u> |
| TOTAL BTEX | 25.90 10 | ر عابد/عs MG/KG | | | | |
| TPH (418.1) | 46.8 | MG/KG | | | 1.97 | 28 |
| HEADSPACE PID | 0 | PPM | 1 | | | |
| PERCENT SOLIDS | 95.3 | % | | | | |

-- TPH is by EPA Method 418.1 and BTEX is by EPA Method 8020 -
The Surrogate Recovery was at Symmetry was acceptable.

Narrative:

| DF = Dilution Factor Used | |
|---------------------------|----------------|
| Approved By: | Date: 2-22-91- |